

DMR Copy of Record

Permit			
Permit #:	MA0003280	Permittee:	CHELSEA SANDWICH, LLC
Major:	No	Permittee Address:	11 BROADWAY STREET CHELSEA, MA 02150
Permitted Feature:	001 External Outfall	Discharge:	001-P QUARTERLY RECEIVING WATER POLLUTANT SCAN FOR OUTFALL 001
Facility:		Facility Location:	CHELSEA SANDWICH, LLC 11 BROADWAY STREET CHELSEA, MA 02150

Report Dates & Status

Monitoring Period:	From 01/01/21 to 03/31/21	DMR Due Date:	04/15/21	Status:	NetDMR Validated
--------------------	---------------------------	---------------	----------	---------	------------------

Considerations for Form Completion

Principal Executive Officer

First Name:	Tom	Title:	V.P. Env. H and S	Telephone:	781-398-4132
Last Name:	Keefe				

No Data Indicator (NODI)

Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Sample Permit Req. Value NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type
						Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3			
34010	Toluene	RW - Receiving Water	0	--												28 - ug/L	01/90 - Quarterly	GR - GRAB
																	9 - Conditional Monitoring - Not Required This Period	
34030	Benzene	RW - Receiving Water	0	--												28 - ug/L	01/90 - Quarterly	GR - GRAB
																	9 - Conditional Monitoring - Not Required This Period	
34200	Acenaphthylene	RW - Receiving Water	0	--												28 - ug/L	01/90 - Quarterly	GR - GRAB
																	9 - Conditional Monitoring - Not Required This Period	
34205	Acenaphthene	RW - Receiving Water	0	--												28 - ug/L	01/90 - Quarterly	GR - GRAB
																	9 - Conditional Monitoring - Not Required This Period	
34220	Anthracene	RW - Receiving Water	0	--												28 - ug/L	01/90 - Quarterly	GR - GRAB
																	9 - Conditional Monitoring - Not Required This Period	
34230	Benzo[b]fluoranthene	RW - Receiving Water	0	--												28 - ug/L	01/90 - Quarterly	GR - GRAB
																	9 - Conditional Monitoring - Not Required This Period	
34242	Benzo[k]fluoranthene	RW - Receiving Water	0	--												28 - ug/L	01/90 - Quarterly	GR - GRAB
																	9 - Conditional Monitoring - Not Required This Period	
34247	Benzo[a]pyrene	RW - Receiving Water	0	--												28 - ug/L	01/90 - Quarterly	GR - GRAB
																	9 - Conditional Monitoring - Not Required This Period	
34320	Chrysene	RW - Receiving Water	0	--												28 - ug/L	01/90 - Quarterly	GR - GRAB
																	9 - Conditional Monitoring - Not Required This Period	
34371	Ethylbenzene	RW - Receiving Water	0	--												28 - ug/L	01/90 - Quarterly	GR - GRAB
																	9 - Conditional Monitoring - Not Required This Period	
34381	Fluorene	RW - Receiving Water	0	--												28 - ug/L	01/90 - Quarterly	GR - GRAB
																	9 - Conditional Monitoring - Not Required This Period	
34403	Indeno[1,2,3-cd]pyrene	RW - Receiving Water	0	--												28 - ug/L	01/90 - Quarterly	GR - GRAB
																	9 - Conditional Monitoring - Not Required This Period	
34461	Phenanthrene	RW - Receiving Water	0	--												28 - ug/L	01/90 - Quarterly	GR - GRAB
																	9 - Conditional Monitoring - Not Required This Period	

34469	Pyrene	RW - Receiving Water	0	--	Sample											Req Mon DAILY MX	28 - ug/L	01/90 - Quarterly	GR - GRAB
					Permit Req.											9 - Conditional Monitoring - Not Required This Period			
					Value NODI														
34521	Benzo[ghi]perylene	RW - Receiving Water	0	--	Sample											Req Mon DAILY MX	28 - ug/L	01/90 - Quarterly	GR - GRAB
					Permit Req.											9 - Conditional Monitoring - Not Required This Period			
					Value NODI														
34526	Benzo[a]anthracene	RW - Receiving Water	0	--	Sample											Req Mon DAILY MX	28 - ug/L	01/90 - Quarterly	GR - GRAB
					Permit Req.											9 - Conditional Monitoring - Not Required This Period			
					Value NODI														
34556	Dibenz[a,h]anthracene	RW - Receiving Water	0	--	Sample											Req Mon DAILY MX	28 - ug/L	01/90 - Quarterly	GR - GRAB
					Permit Req.											9 - Conditional Monitoring - Not Required This Period			
					Value NODI														
34696	Naphthalene	RW - Receiving Water	0	--	Sample											Req Mon DAILY MX	28 - ug/L	01/90 - Quarterly	GR - GRAB
					Permit Req.											9 - Conditional Monitoring - Not Required This Period			
					Value NODI														
81551	Xylene [mix of m+o+p]	RW - Receiving Water	0	--	Sample											Req Mon DAILY MX	28 - ug/L	01/90 - Quarterly	GR - GRAB
					Permit Req.											9 - Conditional Monitoring - Not Required This Period			
					Value NODI														

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

In accordance with NPDES Permit MA0003280, the Annual Pollutant Scan is collected from Outfall 001 and its Receiving Water in April each year.

Attachments

No attachments.

Report Last Saved By

CHELSEA SANDWICH, LLC

User: bcrowley@rouxinc.com
Name: Bryan Crowley
E-Mail: bcrowley@rouxinc.com
Date/Time: 2021-04-13 11:00 (Time Zone: -04:00)

Report Last Signed By

User: SCHARRON@GLOBALP.COM
Name: Steven Charron
E-Mail: scharron@globalp.com
Date/Time: 2021-04-14 17:11 (Time Zone: -04:00)

DMR Copy of Record

Permit			
Permit #:	MA0003280	Permittee:	CHELSEA SANDWICH, LLC
Major:	No	Permittee Address:	11 BROADWAY STREET CHELSEA, MA 02150
Permitted Feature:	001 External Outfall	Discharge:	001-P QUARTERLY RECEIVING WATER POLLUTANT SCAN FOR OUTFALL 001
Facility:		Facility Location:	CHELSEA SANDWICH, LLC 11 BROADWAY STREET CHELSEA, MA 02150

Report Dates & Status			
Monitoring Period:	From 04/01/21 to 06/30/21	DMR Due Date:	07/15/21
Status:	NetDMR Validated		

Considerations for Form Completion

Principal Executive Officer			
First Name:	Tom	Title:	VP Env. H and S
Last Name:	Keefe	Telephone:	781-398-4132

No Data Indicator (NODI)
Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type	
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3
34010	Toluene	RW - Receiving Water	0	--	Sample Permit Req.						Req Mon DAILY MX					28 - ug/L	01/90 - Quarterly	GR - GRAB
					Value NODI						9 - Conditional Monitoring - Not Required This Period							
34030	Benzene	RW - Receiving Water	0	--	Sample Permit Req.						Req Mon DAILY MX					28 - ug/L	01/90 - Quarterly	GR - GRAB
					Value NODI						9 - Conditional Monitoring - Not Required This Period							
34200	Acenaphthylene	RW - Receiving Water	0	--	Sample Permit Req.						Req Mon DAILY MX					28 - ug/L	01/90 - Quarterly	GR - GRAB
					Value NODI						9 - Conditional Monitoring - Not Required This Period							
34205	Acenaphthene	RW - Receiving Water	0	--	Sample Permit Req.						Req Mon DAILY MX					28 - ug/L	01/90 - Quarterly	GR - GRAB
					Value NODI						9 - Conditional Monitoring - Not Required This Period							
34220	Anthracene	RW - Receiving Water	0	--	Sample Permit Req.						Req Mon DAILY MX					28 - ug/L	01/90 - Quarterly	GR - GRAB
					Value NODI						9 - Conditional Monitoring - Not Required This Period							
34230	Benzo[b]fluoranthene	RW - Receiving Water	0	--	Sample Permit Req.						Req Mon DAILY MX					28 - ug/L	01/90 - Quarterly	GR - GRAB
					Value NODI						9 - Conditional Monitoring - Not Required This Period							
34242	Benzo[k]fluoranthene	RW - Receiving Water	0	--	Sample Permit Req.						Req Mon DAILY MX					28 - ug/L	01/90 - Quarterly	GR - GRAB
					Value NODI						9 - Conditional Monitoring - Not Required This Period							
34247	Benzo[a]pyrene	RW - Receiving Water	0	--	Sample Permit Req.						Req Mon DAILY MX					28 - ug/L	01/90 - Quarterly	GR - GRAB
					Value NODI						9 - Conditional Monitoring - Not Required This Period							
34320	Chrysene	RW - Receiving Water	0	--	Sample Permit Req.						Req Mon DAILY MX					28 - ug/L	01/90 - Quarterly	GR - GRAB
					Value NODI						9 - Conditional Monitoring - Not Required This Period							
34371	Ethylbenzene	RW - Receiving Water	0	--	Sample Permit Req.						Req Mon DAILY MX					28 - ug/L	01/90 - Quarterly	GR - GRAB
					Value NODI						9 - Conditional Monitoring - Not Required This Period							
34376	Fluoranthene	RW - Receiving Water	0	--	Sample Permit Req.						Req Mon DAILY MX					28 - ug/L	01/90 - Quarterly	GR - GRAB
					Value NODI						9 - Conditional Monitoring - Not Required This Period							
34381	Fluorene	RW - Receiving Water	0	--	Sample Permit Req.						Req Mon DAILY MX					28 - ug/L	01/90 - Quarterly	GR - GRAB
					Value NODI						9 - Conditional Monitoring - Not Required This Period							
34403	Indeno[1,2,3-cd]pyrene	RW - Receiving Water	0	--	Sample Permit Req.						Req Mon DAILY MX					28 - ug/L	01/90 - Quarterly	GR - GRAB
					Value NODI						9 - Conditional Monitoring - Not Required This Period							

34461	Phenanthrene	RW - Receiving Water	0	--	Sample													Req Mon DAILY MX	28 - ug/L	01/90 - Quarterly	GR - GRAB
					Permit Req.																
					Value NODI																
34469	Pyrene	RW - Receiving Water	0	--	Sample															01/90 - Quarterly	GR - GRAB
					Permit Req.																
					Value NODI																
34521	Benzo[ghi]perylene	RW - Receiving Water	0	--	Sample															01/90 - Quarterly	GR - GRAB
					Permit Req.																
					Value NODI																
34526	Benzo[a]anthracene	RW - Receiving Water	0	--	Sample															01/90 - Quarterly	GR - GRAB
					Permit Req.																
					Value NODI																
34556	Dibenz[a,h]anthracene	RW - Receiving Water	0	--	Sample															01/90 - Quarterly	GR - GRAB
					Permit Req.																
					Value NODI																
34696	Naphthalene	RW - Receiving Water	0	--	Sample															01/90 - Quarterly	GR - GRAB
					Permit Req.																
					Value NODI																
81551	Xylene [mix of m+o+p]	RW - Receiving Water	0	--	Sample															01/90 - Quarterly	GR - GRAB
					Permit Req.																
					Value NODI																

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

In accordance with NPDES Permit MA0003280, Pollutant Scan is required once per year, in April

Attachments

No attachments.

Report Last Saved By

CHELSEA SANDWICH, LLC

User: bcrowley@rouxinc.com
 Name: Bryan Crowley
 E-Mail: bcrowley@rouxinc.com
 Date/Time: 2021-06-29 10:32 (Time Zone: -04:00)

Report Last Signed By

User: SCHARRON@GLOBALP.COM
 Name: Steven Charron
 E-Mail: scharron@globalp.com
 Date/Time: 2021-07-08 09:58 (Time Zone: -04:00)