

DMR Copy of Record

Permit					
Permit #:	MA0003280	Permittee:	CHELSEA SANDWICH, LLC	Facility:	CHELSEA SANDWICH, LLC
Major:	No	Permittee Address:	11 BROADWAY STREET CHELSEA, MA 02150	Facility Location:	11 BROADWAY STREET CHELSEA, MA 02150
Permitted Feature:	001 External Outfall	Discharge:	001-Y YEARLY EFFLUENT POLLUTANT SCAN CHANGE FROM 001Q		

Report Dates & Status					
Monitoring Period:	From 04/01/20 to 04/30/20	DMR Due Date:	05/15/20	Status:	NetDMR Validated

Considerations for Form Completion
Change in quarterly requirement from 001Q to yearly see foot note 11 in permit

Principal Executive Officer					
First Name:	Tom	Title:	VP Env. H and S	Telephone:	781-398-4132
Last Name:	Keefe				

No Data Indicator (NODI)
Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3			
00619	Ammonia, unionized	1 - Effluent Gross	0	--	Sample						=	4.3	28 - ug/L	0	01/YR - Annual	GR - GRAB	
					Permit Req.							Req Mon DAILY MX	28 - ug/L				
					Value NODI												
00720	Cyanide, total [as CN]	1 - Effluent Gross	0	--	Sample						=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB	
					Permit Req.							Req Mon DAILY MX	28 - ug/L				
					Value NODI												
01034	Chromium, total [as Cr]	1 - Effluent Gross	0	--	Sample						=	2.1	28 - ug/L	0	01/YR - Annual	GR - GRAB	
					Permit Req.							Req Mon DAILY MX	28 - ug/L				
					Value NODI												
01045	Iron, total [as Fe]	1 - Effluent Gross	0	--	Sample						=	366.0	28 - ug/L	0	01/YR - Annual	GR - GRAB	
					Permit Req.							Req Mon DAILY MX	28 - ug/L				
					Value NODI												
34010	Toluene	1 - Effluent Gross	0	--	Sample						=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB	
					Permit Req.							Req Mon DAILY MX	28 - ug/L				
					Value NODI												
34030	Benzene	1 - Effluent Gross	0	--	Sample						=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB	
					Permit Req.							Req Mon DAILY MX	28 - ug/L				
					Value NODI												
34200	Acenaphthylene	1 - Effluent Gross	0	--	Sample						=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB	
					Permit Req.							Req Mon DAILY MX	28 - ug/L				
					Value NODI												
34205	Acenaphthene	1 - Effluent Gross	0	--	Sample						=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB	
					Permit Req.							Req Mon DAILY MX	28 - ug/L				
					Value NODI												
34220	Anthracene	1 - Effluent Gross	0	--	Sample						=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB	
					Permit Req.							Req Mon DAILY MX	28 - ug/L				
					Value NODI												
34230	Benzo[b]fluoranthene	1 - Effluent Gross	0	--	Sample						=	0.095	28 - ug/L	0	01/YR - Annual	GR - GRAB	
					Permit Req.							Req Mon DAILY MX	28 - ug/L				
					Value NODI												
34242	Benzo[k]fluoranthene	1 - Effluent Gross	0	--	Sample						=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB	
					Permit Req.							Req Mon DAILY MX	28 - ug/L				
					Value NODI												
34247	Benzo[a]pyrene	1 - Effluent Gross	0	--	Sample						=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB	
					Permit Req.							Req Mon DAILY MX	28 - ug/L				
					Value NODI												
34320	Chrysene	1 - Effluent Gross	0	--	Sample						=	0.075	28 - ug/L	0	01/YR - Annual	GR - GRAB	
					Permit Req.							Req Mon DAILY MX	28 - ug/L				
					Value NODI												

34371	Ethylbenzene	1 - Effluent Gross	0	--	Sample	=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/YR - Annual	GR - GRAB
					Value NODI						
34376	Fluoranthene	1 - Effluent Gross	0	--	Sample	=	0.092	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/YR - Annual	GR - GRAB
					Value NODI						
34381	Fluorene	1 - Effluent Gross	0	--	Sample	=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/YR - Annual	GR - GRAB
					Value NODI						
34403	Indeno[1,2,3-cd]pyrene	1 - Effluent Gross	0	--	Sample	=	0.062	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/YR - Annual	GR - GRAB
					Value NODI						
34461	Phenanthrene	1 - Effluent Gross	0	--	Sample	=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/YR - Annual	GR - GRAB
					Value NODI						
34469	Pyrene	1 - Effluent Gross	0	--	Sample	=	0.12	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/YR - Annual	GR - GRAB
					Value NODI						
34521	Benzo[ghi]perylene	1 - Effluent Gross	0	--	Sample	=	0.07	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/YR - Annual	GR - GRAB
					Value NODI						
34526	Benzo[a]anthracene	1 - Effluent Gross	0	--	Sample	=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/YR - Annual	GR - GRAB
					Value NODI						
34556	Dibenz[a,h]anthracene	1 - Effluent Gross	0	--	Sample	=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/YR - Annual	GR - GRAB
					Value NODI						
34694	Phenol	1 - Effluent Gross	0	--	Sample	=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/YR - Annual	GR - GRAB
					Value NODI						
34696	Naphthalene	1 - Effluent Gross	0	--	Sample	=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/YR - Annual	GR - GRAB
					Value NODI						
74057	Coliform, fecal, colony forming units	1 - Effluent Gross	0	--	Sample	=	110.0	3Z - CFU/100mL	0	01/YR - Annual	GR - GRAB
					Permit Req.		Req Mon DAILY MX	3Z - CFU/100mL		01/YR - Annual	GR - GRAB
					Value NODI						
78721	Phthalates, total	1 - Effluent Gross	0	--	Sample	=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/YR - Annual	GR - GRAB
					Value NODI						
81551	Xylene [mix of m+o+p]	1 - Effluent Gross	0	--	Sample	=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/YR - Annual	GR - GRAB
					Value NODI						

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

Name	Type	Size
Chelsea_Fecal_Coliform.pdf	pdf	565818.0
MA0003280-001_Lab(1)_2020_04.pdf	pdf	1138248.0

Report Last Saved By

CHELSEA SANDWICH, LLC

User: bcrowley@rouxinc.com
 Name: Bryan Crowley
 E-Mail: bcrowley@rouxinc.com

Date/Time: 2020-05-12 09:11 (Time Zone: -04:00)

Report Last Signed By

User: SCHARRON@GLOBALP.COM

Name: Steven Charron

E-Mail: scharron@globalp.com

Date/Time: 2020-05-13 07:36 (Time Zone: -04:00)

34461	Phenanthrene	RW - Receiving Water	0	--	Sample	=	0.0	28 - ug/L	01/YR - Annual	GR - GRAB	
					Permit Req.		Req Mon DAILY MX	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Value NODI						
34469	Pyrene	RW - Receiving Water	0	--	Sample	=	0.0	28 - ug/L	01/YR - Annual	GR - GRAB	
					Permit Req.		Req Mon DAILY MX	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Value NODI						
34521	Benzo[ghi]perylene	RW - Receiving Water	0	--	Sample	=	0.0	28 - ug/L	01/YR - Annual	GR - GRAB	
					Permit Req.		Req Mon DAILY MX	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Value NODI						
34526	Benzo[a]anthracene	RW - Receiving Water	0	--	Sample	=	0.0	28 - ug/L	01/YR - Annual	GR - GRAB	
					Permit Req.		Req Mon DAILY MX	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Value NODI						
34556	Dibenz[a,h]anthracene	RW - Receiving Water	0	--	Sample	=	0.0	28 - ug/L	01/YR - Annual	GR - GRAB	
					Permit Req.		Req Mon DAILY MX	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Value NODI						
34696	Naphthalene	RW - Receiving Water	0	--	Sample	=	0.0	28 - ug/L	01/YR - Annual	GR - GRAB	
					Permit Req.		Req Mon DAILY MX	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Value NODI						
81551	Xylene [mix of m+o+p]	RW - Receiving Water	0	--	Sample	=	0.0	28 - ug/L	01/YR - Annual	GR - GRAB	
					Permit Req.		Req Mon DAILY MX	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Value NODI						

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

Name	Type	Size
MA0003280-001_Lab(1)_2020_04.pdf	pdf	1138248.0

Report Last Saved By

CHELSEA SANDWICH, LLC

User: bcrowley@rouxinc.com
 Name: Bryan Crowley
 E-Mail: bcrowley@rouxinc.com
 Date/Time: 2020-05-12 09:10 (Time Zone: -04:00)

Report Last Signed By

User: SCHARRON@GLOBALP.COM
 Name: Steven Charron
 E-Mail: scharron@globalp.com
 Date/Time: 2020-05-13 07:36 (Time Zone: -04:00)