

DMR Copy of Record

Permit			
Permit #:	MA0003280	Permittee:	CHELSEA SANDWICH, LLC
Major:	No	Permittee Address:	11 BROADWAY STREET CHELSEA, MA 02150
Permitted Feature:	002 External Outfall	Discharge:	002-A TREATED GROUNDWATER THROUGH INTERNAL WASTESTREAM THROUGH 001
Facility:		Facility Location:	CHELSEA SANDWICH, LLC 11 BROADWAY STREET CHELSEA, MA 02150

Report Dates & Status			
Monitoring Period:	From 10/01/22 to 10/31/22	DMR Due Date:	11/15/22
Status:	NetDMR Validated		

Considerations for Form Completion

Principal Executive Officer			
First Name:	Tom	Title:	VP. Env. HS
Last Name:	Kefee	Telephone:	781-398-4132

No Data Indicator (NODI)
Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading				Quality or Concentration						# of Ex.	Frequency of Analysis	Sample Type
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3			
00056	Flow rate	1 - Effluent Gross	0	--	Sample	=	25.0	78 - gal/min								0	WH/DS - When Discharging ES - ESTIMA
					Permit Req.	<=	25.0 DAILY MX	78 - gal/min									
					Value NODI												
00400	pH	1 - Effluent Gross	0	--	Sample	=	6.78			=	6.78	12 - SU			0	01/30 - Monthly GR - GRAB	
					Permit Req.	>=	6.5 MINIMUM			<=	8.5 MAXIMUM	12 - SU					
					Value NODI												
22456	Polynuclear Aromatic Hydrocarbons [PAHs]	1 - Effluent Gross	0	--	Sample	=	0.0			=	0.0	28 - ug/L			0	01/30 - Monthly GR - GRAB	
					Permit Req.	<=	0.018 MO AVG			Req Mon DAILY MX	28 - ug/L						
					Value NODI												
22456	Polynuclear Aromatic Hydrocarbons [PAHs]	EG - Effluent Gross	0	--	Sample	=	0.0			=	0.0	28 - ug/L			0	01/30 - Monthly GR - GRAB	
					Permit Req.	<=	10.0 DAILY MX			28 - ug/L							
					Value NODI												
22456	Polynuclear Aromatic Hydrocarbons [PAHs]	Y - Effluent Gross (Supplementary)	0	--	Sample	=	0.0			=	0.0	28 - ug/L			0	01/30 - Monthly GR - GRAB	
					Permit Req.	<=	20.0 DAILY MX			28 - ug/L							
					Value NODI												
34030	Benzene	1 - Effluent Gross	0	--	Sample	=	0.0			=	0.0	28 - ug/L			0	01/30 - Monthly GR - GRAB	
					Permit Req.	<=	5.0 DAILY MX			28 - ug/L							
					Value NODI												
34696	Naphthalene	1 - Effluent Gross	0	--	Sample	=	0.0			=	0.0	28 - ug/L			0	01/30 - Monthly GR - GRAB	
					Permit Req.	<=	20.0 DAILY MX			28 - ug/L							
					Value NODI												
49491	BTEX	1 - Effluent Gross	0	--	Sample	=	0.0			=	0.0	28 - ug/L			0	01/30 - Monthly GR - GRAB	
					Permit Req.	<=	100.0 DAILY MX			28 - ug/L							
					Value NODI												
82181	Hydrocarbons, total petroleum	1 - Effluent Gross	0	--	Sample	=	0.0			=	0.0	19 - mg/L			0	01/30 - Monthly GR - GRAB	
					Permit Req.	<=	5.0 DAILY MX			19 - mg/L							
					Value NODI												
82220	Flow, total	1 - Effluent Gross	0	--	Sample	=	0.077	80 - Mgal/mo							0	WH/DS - When Discharging MT - METER	
					Permit Req.		Req Mon DAILY MX	80 - Mgal/mo									
					Value NODI												

Submission Note
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors
No errors.

Comments

Attachments

Name	Type	Size
------	------	------

Report Last Saved By**CHELSEA SANDWICH, LLC**

User: SBARRIENTOS@ROUXINC.COM
Name: Sara Barrientos
E-Mail: sbarrientos@rouxinc.com
Date/Time: 2022-11-10 20:20 (Time Zone: -05:00)

Report Last Signed By

User: SCHARRON@GLOBALP.COM
Name: Steven Charron
E-Mail: scharron@globalp.com
Date/Time: 2022-11-12 08:16 (Time Zone: -05:00)

DMR Copy of Record

Permit			
Permit #:	MA0003280	Permittee:	CHELSEA SANDWICH, LLC
Major:	No	Permittee Address:	11 BROADWAY STREET CHELSEA, MA 02150
Permitted Feature:	001 External Outfall	Discharge:	001-A DISCHARGES FROM INTERNAL OUTFALL 002 & BOILER BLOWDOWN FROM OUTFALL 001
Facility:			CHELSEA SANDWICH, LLC
Facility Location:			11 BROADWAY STREET CHELSEA, MA 02150

Report Dates & Status			
Monitoring Period:	From 10/01/22 to 10/31/22	DMR Due Date:	11/15/22
Status:	NetDMR Validated		

Considerations for Form Completion

Principal Executive Officer			
First Name:	Tom	Title:	VP. Env. HS
Last Name:	Keefe	Telephone:	781-398-4132

No Data Indicator (NODI)
Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type	
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3
00056	Flow rate	1 - Effluent Gross	0	--	Sample		=	310.0	78 - gal/min							0	WH/DS - When Discharging	ES - ESTIMA
					Permit Req.		<=	700.0 DAILY MX	78 - gal/min									
					Value NODI													
00400	pH	1 - Effluent Gross	0	--	Sample		=	6.9			=	6.9	12 - SU		0	01/30 - Monthly	GR - GRAB	
					Permit Req.		>=	6.5 MINIMUM			<=	8.5 MAXIMUM	12 - SU					
					Value NODI													
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample		=	18.5			=	29.0	19 - mg/L		0	02/30 - Twice Per Month	GR - GRAB	
					Permit Req.		<=	30.0 MO AVG			<=	100.0 DAILY MX	19 - mg/L					
					Value NODI													
03582	Oil and grease	1 - Effluent Gross	0	--	Sample		=	0.0			=	0.0	19 - mg/L		0	01/30 - Monthly	GR - GRAB	
					Permit Req.		<=	15.0 DAILY MX					19 - mg/L					
					Value NODI													
34030	Benzene	1 - Effluent Gross	0	--	Sample		=	0.0			=	0.0	28 - ug/L		0	01/30 - Monthly	GR - GRAB	
					Permit Req.		<=	51.0 MO AVG					Req Mon DAILY MX	28 - ug/L				
					Value NODI													
34247	Benzo[a]pyrene	1 - Effluent Gross	0	--	Sample		=	0.0			=	0.0	28 - ug/L		0	01/30 - Monthly	GR - GRAB	
					Permit Req.		<=	0.1 MO AVG					Req Mon DAILY MX	28 - ug/L				
					Value NODI													
34696	Naphthalene	1 - Effluent Gross	0	--	Sample		=	0.0			=	0.0	28 - ug/L		0	01/30 - Monthly	GR - GRAB	
					Permit Req.		<=	100.0 MO AVG					Req Mon DAILY MX	28 - ug/L				
					Value NODI													
82220	Flow, total	1 - Effluent Gross	0	--	Sample	=	0.451		80 - Mgal/mo						0	WH/DS - When Discharging	MT - METER	
					Permit Req.				Req Mon MO AVG				80 - Mgal/mo					
					Value NODI													
84165	Discharge event observation [Visual Monitoring]	1 - Effluent Gross	0	--	Sample		=	3.0			=	3.0	93 - occur/mo		0	WH/DS - When Discharging	OC - OCCURS	
					Permit Req.								Req Mon DAILY MX	93 - occur/mo				
					Value NODI													

Submission Note
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors
No errors.

Comments

Attachments

Name	Type	Size
MA0003280-001_Lab(1)_2022_10.pdf	pdf	817424.0
MA0003280-001_Lab(2)_2022_10.pdf	pdf	684481.0

Report Last Saved By

CHELSEA SANDWICH, LLC

User: SBARRIENTOS@ROUXINC.COM
Name: Sara Barrientos
E-Mail: sbarrientos@rouxinc.com
Date/Time: 2022-11-11 09:53 (Time Zone: -05:00)

Report Last Signed By

User: SCHARRON@GLOBALP.COM
Name: Steven Charron
E-Mail: scharron@globalp.com
Date/Time: 2022-11-12 08:16 (Time Zone: -05:00)