

June 2022 Revere 001A

DMR Copy of Record

Permit														
Permit #:	MA0003425	Permittee:	GLOBAL COMPANIES LLC					Facility:	GLOBAL PETROLEUM CORP - REVERE					
Major:	No	Permittee Address:	800 SOUTH STREET SUITE 500 WALTHAM, MA 02454					Facility Location:	140 LEE BURBANK HIGHWAY REVERE, MA 02151					
Permitted Feature:	001 External Outfall	Discharge:	001-A MONTHLY MONITORING FROM INTERNAL OUTFALLS 002 & 003											
Report Dates & Status														
Monitoring Period:	From 06/01/22 to 06/30/22	DMR Due Date:	07/15/22					Status:	NetDMR Validated					
Considerations for Form Completion														
Principal Executive Officer														
First Name:	Tom	Title:	VP. Env. HS					Telephone:	781-398-4132					
Last Name:	Keefe													
No Data Indicator (NODI)														
Form NODI:	--													
Code	Parameter	Monitoring Location	Season #	Param. NODI	Quantity or Loading			Quality or Concentration			# of Ex.	Frequency of Analysis	Sample Type	
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1				Value 1
00056	Flow rate	1 - Effluent Gross	0	--	Sample	=	190.0	78 - gal/min						WH/DS - When Discharging ES - ESTIMA
					Permit Req.	<=	880.0 DAILY MX	78 - gal/min						WH/DS - When Discharging ES - ESTIMA
					Value NODI									0
00400	pH	1 - Effluent Gross	0	--	Sample	=	7.32		=	7.32	12 - SU		01/30 - Monthly	R - GRAB
					Permit Req.	>=	6.5 MINIMUM		<=	8.5 MAXIMUM	12 - SU		01/30 - Monthly	R - GRAB
					Value NODI									0
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample	=	0.0		=	0.0	19 - mg/L		01/30 - Monthly	R - GRAB
					Permit Req.	<=	15.0 DAILY MX		<=	15.0 DAILY MX	19 - mg/L		01/30 - Monthly	R - GRAB
					Value NODI									0
34030	Benzene	1 - Effluent Gross	0	--	Sample	=	0.0		=	0.0	28 - ug/L		01/30 - Monthly	R - GRAB
					Permit Req.	<=	51.0 MO AVG		Req Mon DAILY MX	28 - ug/L			01/30 - Monthly	R - GRAB
					Value NODI									0
34247	Benzo[a]pyrene	1 - Effluent Gross	0	--	Sample	=	0.0		=	0.0	28 - ug/L		01/30 - Monthly	R - GRAB
					Permit Req.	<=	0.1 MO AVG		Req Mon DAILY MX	28 - ug/L			01/30 - Monthly	R - GRAB
					Value NODI									0
34696	Naphthalene	1 - Effluent Gross	0	--	Sample	=	0.0		=	0.0	28 - ug/L		01/30 - Monthly	GR - GRAB
					Permit Req.	<=	100.0 MO AVG		Req Mon DAILY MX	28 - ug/L			01/30 - Monthly	GR - GRAB
					Value NODI									0
82220	Flow, total	1 - Effluent Gross	0	--	Sample	=	0.41	80 - Mgal/mo						WH/DS - When Discharging MT - METER
					Permit Req.		Req Mon DAILY MX	80 - Mgal/mo						WH/DS - When Discharging MT - METER
					Value NODI									0
84165	Discharge event observation [Visual Monitoring]	1 - Effluent Gross	0	--	Sample	=	6.0		93 - occur/mo				WH/DS - When Discharging OC - OCCURS	
					Permit Req.				Req Mon MO TOTAL	93 - occur/mo				WH/DS - When Discharging OC - OCCURS
					Value NODI									0
Submission Note														
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.														
Edit Check Errors														
No errors.														
Comments														
Outfall 001 data consists of data collected at Outfall 002 as a commingled discharge from Outfall 002 and Outfall 003 did not occur at the time of sampling. The data is representative of the discharge at Outfall 001.														
Attachments														
Name							Type		Size					
MA0003425-002_Lab(1)_2022_06.pdf							pdf		824972.0					
Report Last Saved By														
GLOBAL COMPANIES LLC														
User:	SBARRIENTOS@ROUXINC.COM													
Name:	Sara Barrientos													

E-Mail: sbarrientos@rouxinc.com
Date/Time: 2022-07-12 13:15 (Time Zone: -04:00)

Report Last Signed By

User: SCHARRON@GLOBALP.COM
Name: Steven Charron
E-Mail: scharron@globalp.com
Date/Time: 2022-07-13 09:01 (Time Zone: -04:00)

REVERE JUNE 2022 002A

DMR Copy of Record

Permit															
Permit #:	MA0003425	Permittee:	GLOBAL COMPANIES LLC						Facility:	GLOBAL PETROLEUM CORP - REVERE					
Major:	No	Permittee Address:	800 SOUTH STREET SUITE 500 WALTHAM, MA 02454						Facility Location:	140 LEE BURBANK HIGHWAY REVERE, MA 02151					
Permitted Feature:	002 External Outfall	Discharge:	002-A TREATED H2O THROUGH INTERNAL WASTE STREAM VIA OUTFALL 001												
Report Dates & Status															
Monitoring Period:	From 06/01/22 to 06/30/22		DMR Due Date:	07/15/22		Status:		NetDMR Validated							
Considerations for Form Completion															
Principal Executive Officer															
First Name:	Tom	Title:	VP. Env. HS						Telephone:	781-398-4132					
Last Name:	Keefe														
No Data Indicator (NODI)															
Form NODI:	--														
Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading				Quality or Concentration				# of Ex.	Frequency of Analysis	Sample Type
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2			
00056	Flow rate	1 - Effluent Gross	0	--	Sample	=	30.0	78 - gal/min					0	WH/DS - When Discharging	ES - ESTIMA
					Permit Req.	<=	830.0 DAILY MX	78 - gal/min						WH/DS - When Discharging	ES - ESTIMA
					Value NODI										
00400	pH	1 - Effluent Gross	0	--	Sample	=	7.32			=	7.32	12 - SU	0	01/30 - Monthly	GR - GRAB
					Permit Req.	>=	6.5 MINIMUM		<=	8.5 MAXIMUM	12 - SU			01/30 - Monthly	R - GRAB
					Value NODI										
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample	=	13.0			=	26.0	19 - mg/L	0	02/30 - Twice Per Month	GR - GRAB
					Permit Req.	<=	30.0 MO AVG		<=	100.0 DAILY MX	19 - mg/L			02/30 - Twice Per Month	R - GRAB
					Value NODI										
22417	Methyl tert-butyl ether [MTBE]	1 - Effluent Gross	0	--	Sample	=	0.0			=	28 - ug/L	0	0	01/30 - Monthly	R - GRAB
					Permit Req.	<=	70.0 DAILY MX		<=	28 - ug/L	0			01/30 - Monthly	R - GRAB
					Value NODI										
34030	Benzene	1 - Effluent Gross	0	--	Sample	=	0.0			=	28 - ug/L	0	0	01/30 - Monthly	GR - GRAB
					Permit Req.	<=	5.0 DAILY MX		<=	28 - ug/L	0			01/30 - Monthly	R - GRAB
					Value NODI										
34696	Naphthalene	1 - Effluent Gross	0	--	Sample	=	0.0			=	28 - ug/L	0	0	01/30 - Monthly	R - GRAB
					Permit Req.	<=	20.0 DAILY MX		<=	28 - ug/L	0			01/30 - Monthly	R - GRAB
					Value NODI										
49491	BTEX	1 - Effluent Gross	0	--	Sample	=	0.0			=	28 - ug/L	0	0	01/30 - Monthly	R - GRAB
					Permit Req.	<=	100.0 DAILY MX		<=	28 - ug/L	0			01/30 - Monthly	R - GRAB
					Value NODI										
77004	Ethanol	1 - Effluent Gross	0	--	Sample	=	0.0			=	19 - mg/L	0	0	01/30 - Monthly	R - GRAB
					Permit Req.				Req Mon DAILY MX	19 - mg/L	0			01/30 - Monthly	GR - GRAB
					Value NODI										
82181	Hydrocarbons, total petroleum	1 - Effluent Gross	0	--	Sample	=	0.0			=	19 - mg/L	0	0	01/30 - Monthly	GR - GRAB
					Permit Req.	<=	5.0 DAILY MX		<=	19 - mg/L	0			01/30 - Monthly	GR - GRAB
					Value NODI										
82220	Flow, total	1 - Effluent Gross	0	--	Sample	=	0.41	80 - Mgal/mo					0	WH/DS - When Discharging	MT - METER
					Permit Req.			Req Mon DAILY MX	80 - Mgal/mo					WH/DS - When Discharging	MT - METER
					Value NODI										
Submission Note															
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.															
Edit Check Errors															
No errors.															
Comments															
Attachments															
Name	Type	Size													

MA0003425-002_Lab(1)_2022_06.pdf	pdf	824972.0
MA0003425-002_Lab(2)_2022_06.pdf	pdf	691783.0

Report Last Saved By

GLOBAL COMPANIES LLC

User: SBARRIENTOS@ROUXINC.COM
Name: Sara Barrientos
E-Mail: sbarrientos@rouxinc.com
Date/Time: 2022-07-12 13:18 (Time Zone: -04:00)

Report Last Signed By

User: SCHARRON@GLOBALP.COM
Name: Steven Charron
E-Mail: scharron@globalp.com
Date/Time: 2022-07-13 09:01 (Time Zone: -04:00)

REVERE 2022 003A June

DMR Copy of Record

Permit															
Permit #:	MA0003425	Permittee:	GLOBAL COMPANIES LLC 800 SOUTH STREET SUITE 500 WALTHAM, MA 02454						Facility:	GLOBAL PETROLEUM CORP - REVERE					
Major:	No	Permittee Address:							Facility Location:	140 LEE BURBANK HIGHWAY REVERE, MA 02151					
Permitted Feature:	003 External Outfall	Discharge:	003-A TREATED H2O THROUGH INTERNAL WASTE STREAM VIA OUTFALL 001												
Report Dates & Status															
Monitoring Period:	From 06/01/22 to 06/30/22	DMR Due Date:	07/15/22						Status:	NetDMR Validated					
Considerations for Form Completion															
Principal Executive Officer															
First Name:	Tom	Title:	VP. Env. HS						Telephone:	781-398-4132					
Last Name:	Keefe														
No Data Indicator (NODI)															
Form NODI:	--														
Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading				Quality or Concentration				# of Ex.	Frequency of Analysis	Sample Type
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2			
00056	Flow rate	1 - Effluent Gross	0	--	Sample	=	30.0	78 - gal/min						WH/DS - When Discharging	ES - ESTIMA
					Permit Req.	<=	50.0 DAILY MX	78 - gal/min						WH/DS - When Discharging	ES - ESTIMA
					Value NODI								0		
00400	pH	1 - Effluent Gross	0	--	Sample	=	7.51		=	7.51	12 - SU		0	01/30 - Monthly	R - GRAB
					Permit Req.	>=	6.5 MINIMUM		<=	8.5 MAXIMUM	12 - SU		0	01/30 - Monthly	R - GRAB
					Value NODI										
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample	=	0.0		=	0.0	19 - mg/L		0	01/30 - Monthly	R - GRAB
					Permit Req.	<=	30.0 MO AVG		<=	100.0 DAILY MX	19 - mg/L		0	01/30 - Monthly	R - GRAB
					Value NODI										
22417	Methyl tert-butyl ether [MTBE]	1 - Effluent Gross	0	--	Sample	=	0.0	28 - ug/L					0	01/30 - Monthly	R - GRAB
					Permit Req.	<=	20.0 DAILY MX	28 - ug/L					0	01/30 - Monthly	R - GRAB
					Value NODI										
22456	Polynuclear Aromatic Hydrocarbons [PAHs]	1 - Effluent Gross	0	--	Sample	=	0.0	28 - ug/L					0	01/30 - Monthly	R - GRAB
					Permit Req.	<=	0.1 DAILY MX	28 - ug/L					0	01/30 - Monthly	R - GRAB
					Value NODI										
22456	Polynuclear Aromatic Hydrocarbons [PAHs]	EG - Effluent Gross	0	--	Sample	=	0.0	28 - ug/L					0	01/30 - Monthly	R - GRAB
					Permit Req.	<=	10.0 DAILY MX	28 - ug/L					0	01/30 - Monthly	R - GRAB
					Value NODI										
22456	Polynuclear Aromatic Hydrocarbons [PAHs]	Y - Effluent Gross (Supplementary)	0	--	Sample	=	0.0	28 - ug/L					0	01/30 - Monthly	R - GRAB
					Permit Req.	<=	100.0 DAILY MX	28 - ug/L					0	01/30 - Monthly	R - GRAB
					Value NODI										
34030	Benzene	1 - Effluent Gross	0	--	Sample	=	0.0	28 - ug/L					0	01/30 - Monthly	R - GRAB
					Permit Req.	<=	5.0 DAILY MX	28 - ug/L					0	01/30 - Monthly	R - GRAB
					Value NODI										
34696	Naphthalene	1 - Effluent Gross	0	--	Sample	=	0.0	28 - ug/L					0	01/30 - Monthly	R - GRAB
					Permit Req.	<=	20.0 DAILY MX	28 - ug/L					0	01/30 - Monthly	R - GRAB
					Value NODI										
49491	BTEX	1 - Effluent Gross	0	--	Sample	=	0.0	28 - ug/L					0	01/30 - Monthly	R - GRAB
					Permit Req.	<=	100.0 DAILY MX	28 - ug/L					0	01/30 - Monthly	GR - GRAB
					Value NODI										
82181	Hydrocarbons, total petroleum	1 - Effluent Gross	0	--	Sample	=	0.0	19 - mg/L					0	01/30 - Monthly	GR - GRAB
					Permit Req.	<=	5.0 DAILY MX	19 - mg/L					0	01/30 - Monthly	GR - GRAB
					Value NODI										
82220	Flow, total	1 - Effluent Gross	0	--	Sample	=	0.0149	80 - Mgal/mo						WH/DS - When Discharging	MT - METER
					Permit Req.		Req Mon DAILY MX	80 - Mgal/mo					0	WH/DS - When Discharging	MT - METER
					Value NODI										
Submission Note															
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.															

[Edit Check Errors](#)

No errors.

[Comments](#)

[Attachments](#)

Name	Type	Size
MA0003425-003_Lab(1)_2022_06.pdf	pdf	846009.0

[Report Last Saved By](#)

GLOBAL COMPANIES LLC

User: NHUDSON2022
Name: Nicole Hudson
E-Mail: nhudson@rouxinc.com
Date/Time: 2022-07-07 13:44 (Time Zone: -04:00)

[Report Last Signed By](#)

User: SCHARRON@GLOBALP.COM
Name: Steven Charron
E-Mail: scharron@globalp.com
Date/Time: 2022-07-13 09:01 (Time Zone: -04:00)

REVERE June 001A

DMR Copy of Record

Permit																			
Permit #:	MA0003298	Permittee:	GLOBAL COMPANIES, LLC 800 South Street Suite 500 Waltham, MA 02454						Facility:	GLOBAL REVCO TERMINAL, LLC 186 LEE BURBANK HIGHWAY REVERE, MA 02151									
Major:	No	Permittee Address:																	
Permitted Feature:	001 External Outfall	Discharge:	001-A TREATED & UNTREATED STORMWATER OUTFALL 001																
Report Dates & Status																			
Monitoring Period:	From 06/01/22 to 06/30/22	DMR Due Date:	07/15/22	Status:	NetDMR Validated														
Considerations for Form Completion																			
U																			
Principal Executive Officer																			
First Name:	Tom	Title:	VP. Env. HS						Telephone:	781-398-4132									
Last Name:	Keefe																		
No Data Indicator (NODI)																			
Form NODI:	--																		
Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration						# of Ex.	Frequency of Analysis	Sample Type	
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3				Units
00056	Flow rate	R - See Comments	0	--	Sample	=	35.0	78 - gal/min								0	WH/DS - When Discharging	ES - ESTIMA	
					Permit Req.	<=	75.0 DAILY MX	78 - gal/min											
					Value NODI														
00400	pH	1 - Effluent Gross	0	--	Sample	=	7.57			=	7.57	12 - SU			0	01/30 - Monthly	GR - GRAB		
					Permit Req.	>=	6.5 MINIMUM			<=	8.5 MAXIMUM	12 - SU							
					Value NODI														
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample	=	15.0	=	16.0	19 - mg/L					0	02/30 - Twice Per Month	R - GRAB		
					Permit Req.	<=	30.0 MO AVG	<=	100.0 DAILY MX	19 - mg/L									
					Value NODI														
03582	Oil and grease	1 - Effluent Gross	0	--	Sample	=	2.2	19 - mg/L							0	01/30 - Monthly	GR - GRAB		
					Permit Req.	<=	15.0 DAILY MX	19 - mg/L											
					Value NODI														
34030	Benzene	1 - Effluent Gross	0	--	Sample	=	0.0	=	0.0	28 - ug/L					0	01/30 - Monthly	GR - GRAB		
					Permit Req.	<=	51.0 MO AVG	Req Mon DAILY MX	28 - ug/L										
					Value NODI														
34247	Benzo[a]pyrene	1 - Effluent Gross	0	--	Sample	=	0.0	=	0.0	28 - ug/L					0	01/30 - Monthly	R - GRAB		
					Permit Req.	<=	0.1 MO AVG	Req Mon DAILY MX	28 - ug/L										
					Value NODI														
34696	Naphthalene	1 - Effluent Gross	0	--	Sample	=	0.0	=	0.0	28 - ug/L					0	01/30 - Monthly	R - GRAB		
					Permit Req.	<=	100.0 MO AVG	Req Mon DAILY MX	28 - ug/L										
					Value NODI														
82220	Flow, total	1 - Effluent Gross	0	--	Sample	=	0.070976	80 - Mgal/mo							0	WH/DS - When Discharging	MT - METER		
					Permit Req.		Req Mon DAILY MX	80 - Mgal/mo											
					Value NODI														
84165	Discharge event observation [Visual Monitoring]	1 - Effluent Gross	0	--	Sample	=	4.0	93 - occur/mo							0	WH/DS - When Discharging	OC - OCCURS		
					Permit Req.		Req Mon DAILY MX	93 - occur/mo											
					Value NODI														

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

Name	Type	Size
MA0003298-001_Lab(1)_2022_06.pdf	pdf	840687.0
MA0003298-001_Lab(2)_2022_06.pdf	pdf	694200.0

Report Last Saved By
GLOBAL COMPANIES, LLC

User: SBARRIENTOS@ROUXINC.COM
Name: Sara Barrientos
E-Mail: sbarrientos@rouxinc.com
Date/Time: 2022-07-06 11:02 (Time Zone: -04:00)

Report Last Signed By

User: SCHARRON@GLOBALP.COM
Name: Steven Charron
E-Mail: scharron@globalp.com
Date/Time: 2022-07-13 08:57 (Time Zone: -04:00)

REVERE 2022 005A June

DMR Copy of Record

Permit															
Permit #:	MA0003298	Permittee:	GLOBAL COMPANIES, LLC 800 South Streete Suite 500 Waltham, MA 02454				Facility:	GLOBAL REVCO TERMINAL, LLC 186 LEE BURBANK HIGHWAY REVERE, MA 02151							
Major:	No	Permittee Address:					Facility Location:								
Permitted Feature:	005 External Outfall	Discharge:	005-A TREATED STORMWATER & HYDROSTATIC TEST WATER OUTFALL 005												
Report Dates & Status															
Monitoring Period:	From 06/01/22 to 06/30/22	DMR Due Date:	07/15/22				Status:	NetDMR Validated							
Considerations for Form Completion															
Principal Executive Officer															
First Name:	Tom	Title:	VP. Env. HS				Telephone:	781-513-6984							
Last Name:	Keefe														
No Data Indicator (NODI)															
Form NODI: --															
Code	Parameter	Monitoring Location	Season #	Param. NODI	Quantity or Loading			Quality or Concentration				# of Ex.	Frequency of Analysis	Sample Type	
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1				Qualifier 2
00056	Flow rate	R - See Comments	0	--	Sample	=	350.0	78 - gal/min					0	WH/DS - When Discharging	ES - ESTIMA
					Permit Req.	<=	500.0	DAILY MX	78 - gal/min					WH/DS - When Discharging	ES - ESTIMA
					Value NODI										
00400	pH	1 - Effluent Gross	0	--	Sample	=	7.81			=	7.81	12 - SU	0	01/30 - Monthly	GR - GRAB
					Permit Req.	>=	6.5	MINIMUM		<=	8.5	MAXIMUM	0	01/30 - Monthly	GR - GRAB
					Value NODI										
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample	=	10.0		=	20.0	19 - mg/L		0	02/30 - Twice Per Month	R - GRAB
					Permit Req.	<=	30.0	MO AVG	<=	100.0	DAILY MX	19 - mg/L		02/30 - Twice Per Month	R - GRAB
					Value NODI										
03582	Oil and grease	1 - Effluent Gross	0	--	Sample	=	0.0		=	28 - ug/L			0	02/30 - Twice Per Month	R - GRAB
					Permit Req.	<=	5.0	DAILY MX	<=	28 - ug/L				02/30 - Twice Per Month	R - GRAB
					Value NODI										
34030	Benzene	1 - Effluent Gross	0	--	Sample	=	0.0		=	28 - ug/L			0	01/30 - Monthly	GR - GRAB
					Permit Req.	<=	2.0	DAILY MX	<=	28 - ug/L				01/30 - Monthly	GR - GRAB
					Value NODI										
34247	Benzo[a]pyrene	1 - Effluent Gross	0	--	Sample	=	0.0		=	28 - ug/L			0	01/30 - Monthly	R - GRAB
					Permit Req.	<=	0.1	DAILY MX	<=	28 - ug/L				01/30 - Monthly	R - GRAB
					Value NODI										
34696	Naphthalene	1 - Effluent Gross	0	--	Sample	=	0.0		=	28 - ug/L			0	01/30 - Monthly	R - GRAB
					Permit Req.	<=	5.0	DAILY MX	<=	28 - ug/L				01/30 - Monthly	R - GRAB
					Value NODI										
82220	Flow, total	1 - Effluent Gross	0	--	Sample	=	0.3067	80 - Mgal/mo					0	WH/DS - When Discharging	MT - METER
					Permit Req.		Req Mon DAILY MX	80 - Mgal/mo						WH/DS - When Discharging	MT - METER
					Value NODI										
84165	Discharge event observation [Visual Monitoring]	1 - Effluent Gross	0	--	Sample	=	4.0		=	93 - occur/mo			0	WH/DS - When Discharging	OC - OCCURS
					Permit Req.		Req Mon DAILY MX	93 - occur/mo	<=	93 - occur/mo				WH/DS - When Discharging	OC - OCCURS
					Value NODI										

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

Name	Type	Size
MA0003298-005_Lab(1)_2022_06.pdf	pdf	832204.0
MA0003298-005_Lab(2)_2022_06.pdf	pdf	700020.0

Report Last Saved By
GLOBAL COMPANIES, LLC

User: SBARRIENTOS@ROUXINC.COM
Name: Sara Barrientos
E-Mail: sbarrientos@rouxinc.com
Date/Time: 2022-07-06 11:03 (Time Zone: -04:00)

Report Last Signed By

User: SCHARRON@GLOBALP.COM
Name: Steven Charron
E-Mail: scharron@globalp.com
Date/Time: 2022-07-13 08:57 (Time Zone: -04:00)

REVERE 2022 001A June

DMR Copy of Record

Permit																																																																																																																																																																																																																																																																																																																																																																																																																																																						
Permit #:	MA0000825	Permittee:	GLOBAL COMPANIES LLC 800 SOUTH STREET SUITE 500 WALTHAM, MA 02454								Facility:	GLOBAL SOUTH TERMINAL																																																																																																																																																																																																																																																																																																																																																																																																																																										
Major:	No	Permittee Address:									Facility Location:	96 LEE BURBANK HIGHWAY REVERE, MA 02150																																																																																																																																																																																																																																																																																																																																																																																																																																										
Permitted Feature:	001 External Outfall	Discharge:	001-A TREATED STORMWATER & HYDROSTATIC TEST WATER FROM OUTFALL 001																																																																																																																																																																																																																																																																																																																																																																																																																																																			
Report Dates & Status																																																																																																																																																																																																																																																																																																																																																																																																																																																						
Monitoring Period:	From 06/01/22 to 06/30/22	DMR Due Date:	07/15/22								Status:	NetDMR Validated																																																																																																																																																																																																																																																																																																																																																																																																																																										
Considerations for Form Completion																																																																																																																																																																																																																																																																																																																																																																																																																																																						
Principal Executive Officer																																																																																																																																																																																																																																																																																																																																																																																																																																																						
First Name:	Tom	Title:	VP. Env. HS								Telephone:	781-398-4132																																																																																																																																																																																																																																																																																																																																																																																																																																										
Last Name:	Keefe																																																																																																																																																																																																																																																																																																																																																																																																																																																					
No Data Indicator (NODI)																																																																																																																																																																																																																																																																																																																																																																																																																																																						
Form NODI:	--																																																																																																																																																																																																																																																																																																																																																																																																																																																					
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Code</th> <th rowspan="2">Parameter</th> <th rowspan="2">Monitoring Location</th> <th rowspan="2">Season #</th> <th rowspan="2">Param. NODI</th> <th colspan="4">Quantity or Loading</th> <th colspan="4">Quality or Concentration</th> <th rowspan="2"># of Ex.</th> <th rowspan="2">Frequency of Analysis</th> <th rowspan="2">Sample Type</th> </tr> <tr> <th>Qualifier 1</th> <th>Value 1</th> <th>Qualifier 2</th> <th>Value 2</th> <th>Units</th> <th>Qualifier 1</th> <th>Value 1</th> <th>Qualifier 2</th> <th>Value 2</th> <th>Qualifier 3</th> <th>Value 3</th> <th>Units</th> </tr> </thead> <tbody> <tr> <td rowspan="3">00056</td> <td rowspan="3">Flow rate</td> <td rowspan="3">R - See Comments</td> <td rowspan="3">0</td> <td rowspan="3">--</td> <td>Sample</td> <td>=</td> <td>310.0</td> <td>78 - gal/min</td> <td></td> <td></td> <td></td> <td></td> <td rowspan="3">0</td> <td>WH/DS - When Discharging</td> <td>ES - ESTIMA</td> </tr> <tr> <td>Permit Req.</td> <td><=</td> <td>700.0</td> <td>DAILY MX</td> <td>78 - gal/min</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>WH/DS - When Discharging</td> <td>ES - ESTIMA</td> </tr> <tr> <td>Value NODI</td> <td></td> </tr> <tr> <td rowspan="3">00400</td> <td rowspan="3">pH</td> <td rowspan="3">1 - Effluent Gross</td> <td rowspan="3">0</td> <td rowspan="3">--</td> <td>Sample</td> <td>=</td> <td>8.23</td> <td></td> <td></td> <td>=</td> <td>8.23</td> <td>12 - SU</td> <td rowspan="3">0</td> <td>01/30 - Monthly</td> <td>GR - GRAB</td> </tr> <tr> <td>Permit Req.</td> <td>>=</td> <td>6.5</td> <td>MINIMUM</td> <td></td> <td><=</td> <td>8.5</td> <td>MAXIMUM</td> <td>12 - SU</td> <td></td> <td></td> <td></td> <td>01/30 - Monthly</td> <td>GR - GRAB</td> </tr> <tr> <td>Value NODI</td> <td></td> </tr> <tr> <td rowspan="3">00530</td> <td rowspan="3">Solids, total suspended</td> <td rowspan="3">1 - Effluent Gross</td> <td rowspan="3">0</td> <td rowspan="3">--</td> <td>Sample</td> <td>=</td> <td>16.0</td> <td></td> <td></td> <td>=</td> <td>18.0</td> <td>19 - mg/L</td> <td rowspan="3">0</td> <td>02/30 - Twice Per Month</td> <td>GR - GRAB</td> </tr> <tr> <td>Permit Req.</td> <td><=</td> <td>30.0</td> <td>MO AVG</td> <td></td> <td><=</td> <td>100.0</td> <td>DAILY MX</td> <td>19 - mg/L</td> <td></td> <td></td> <td></td> <td>02/30 - Twice Per Month</td> <td>GR - GRAB</td> </tr> <tr> <td>Value NODI</td> <td></td> </tr> <tr> <td rowspan="3">03582</td> <td rowspan="3">Oil and grease</td> <td rowspan="3">1 - Effluent Gross</td> <td rowspan="3">0</td> <td rowspan="3">--</td> <td>Sample</td> <td>=</td> <td>0.0</td> <td></td> <td></td> <td>=</td> <td>0.0</td> <td>19 - mg/L</td> <td rowspan="3">0</td> <td>01/30 - Monthly</td> <td>GR - GRAB</td> </tr> <tr> <td>Permit Req.</td> <td><=</td> <td>15.0</td> <td>DAILY MX</td> <td></td> <td><=</td> <td>15.0</td> <td>DAILY MX</td> <td>19 - mg/L</td> <td></td> <td></td> <td></td> <td>01/30 - Monthly</td> <td>GR - GRAB</td> </tr> <tr> <td>Value NODI</td> <td></td> </tr> <tr> <td rowspan="3">34030</td> <td rowspan="3">Benzene</td> <td rowspan="3">1 - Effluent Gross</td> <td rowspan="3">0</td> <td rowspan="3">--</td> <td>Sample</td> <td>=</td> <td>0.0</td> <td></td> <td></td> <td>=</td> <td>0.0</td> <td>28 - ug/L</td> <td rowspan="3">0</td> <td>01/30 - Monthly</td> <td>GR - GRAB</td> </tr> <tr> <td>Permit Req.</td> <td><=</td> <td>51.0</td> <td>MO AVG</td> <td></td> <td>Req Mon</td> <td>DAILY MX</td> <td>28 - ug/L</td> <td></td> <td></td> <td></td> <td></td> <td>01/30 - Monthly</td> <td>GR - GRAB</td> </tr> <tr> <td>Value NODI</td> <td></td> </tr> <tr> <td rowspan="3">34247</td> <td rowspan="3">Benzo[a]pyrene</td> <td rowspan="3">1 - Effluent Gross</td> <td rowspan="3">0</td> <td rowspan="3">--</td> <td>Sample</td> <td>=</td> <td>0.0</td> <td></td> <td></td> <td>=</td> <td>0.0</td> <td>28 - ug/L</td> <td rowspan="3">0</td> <td>01/30 - Monthly</td> <td>GR - GRAB</td> </tr> <tr> <td>Permit Req.</td> <td><=</td> <td>0.1</td> <td>MO AVG</td> <td></td> <td>Req Mon</td> <td>DAILY MX</td> <td>28 - ug/L</td> <td></td> <td></td> <td></td> <td></td> <td>01/30 - Monthly</td> <td>GR - GRAB</td> </tr> <tr> <td>Value NODI</td> <td></td> </tr> <tr> <td rowspan="3">34696</td> <td rowspan="3">Naphthalene</td> <td rowspan="3">1 - Effluent Gross</td> <td rowspan="3">0</td> <td rowspan="3">--</td> <td>Sample</td> <td>=</td> <td>0.0</td> <td></td> <td></td> <td>=</td> <td>0.0</td> <td>28 - ug/L</td> <td rowspan="3">0</td> <td>01/30 - Monthly</td> <td>GR - GRAB</td> </tr> <tr> <td>Permit Req.</td> <td><=</td> <td>100.0</td> <td>MO AVG</td> <td></td> <td>Req Mon</td> <td>DAILY MX</td> <td>28 - ug/L</td> <td></td> <td></td> <td></td> <td></td> <td>01/30 - Monthly</td> <td>GR - GRAB</td> </tr> <tr> <td>Value NODI</td> <td></td> </tr> <tr> <td rowspan="3">82220</td> <td rowspan="3">Flow, total</td> <td rowspan="3">1 - Effluent Gross</td> <td rowspan="3">0</td> <td rowspan="3">--</td> <td>Sample</td> <td>=</td> <td>0.001276</td> <td>80 - Mgal/mo</td> <td></td> <td></td> <td></td> <td></td> <td rowspan="3">0</td> <td>WH/DS - When Discharging</td> <td>MT - METER</td> </tr> <tr> <td>Permit Req.</td> <td></td> <td>Req Mon</td> <td>DAILY MX</td> <td>80 - Mgal/mo</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>WH/DS - When Discharging</td> <td>MT - METER</td> </tr> <tr> <td>Value NODI</td> <td></td> </tr> <tr> <td rowspan="3">84165</td> <td rowspan="3">Discharge event observation [Visual Monitoring]</td> <td rowspan="3">1 - Effluent Gross</td> <td rowspan="3">0</td> <td rowspan="3">--</td> <td>Sample</td> <td>=</td> <td>4.0</td> <td></td> <td></td> <td>=</td> <td>93 - occur/mo</td> <td></td> <td rowspan="3">0</td> <td>WH/DS - When Discharging</td> <td>OC - OCCURS</td> </tr> <tr> <td>Permit Req.</td> <td></td> <td></td> <td></td> <td></td> <td>Req Mon</td> <td>DAILY MX</td> <td>93 - occur/mo</td> <td></td> <td></td> <td></td> <td></td> <td>WH/DS - When Discharging</td> <td>OC - OCCURS</td> </tr> <tr> <td>Value NODI</td> <td></td> </tr> </tbody> </table>															Code	Parameter	Monitoring Location	Season #	Param. NODI	Quantity or Loading				Quality or Concentration				# of Ex.	Frequency of Analysis	Sample Type	Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units	00056	Flow rate	R - See Comments	0	--	Sample	=	310.0	78 - gal/min					0	WH/DS - When Discharging	ES - ESTIMA	Permit Req.	<=	700.0	DAILY MX	78 - gal/min								WH/DS - When Discharging	ES - ESTIMA	Value NODI														00400	pH	1 - Effluent Gross	0	--	Sample	=	8.23			=	8.23	12 - SU	0	01/30 - Monthly	GR - GRAB	Permit Req.	>=	6.5	MINIMUM		<=	8.5	MAXIMUM	12 - SU				01/30 - Monthly	GR - GRAB	Value NODI														00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample	=	16.0			=	18.0	19 - mg/L	0	02/30 - Twice Per Month	GR - GRAB	Permit Req.	<=	30.0	MO AVG		<=	100.0	DAILY MX	19 - mg/L				02/30 - Twice Per Month	GR - GRAB	Value NODI														03582	Oil and grease	1 - Effluent Gross	0	--	Sample	=	0.0			=	0.0	19 - mg/L	0	01/30 - Monthly	GR - GRAB	Permit Req.	<=	15.0	DAILY MX		<=	15.0	DAILY MX	19 - mg/L				01/30 - Monthly	GR - GRAB	Value NODI														34030	Benzene	1 - Effluent Gross	0	--	Sample	=	0.0			=	0.0	28 - ug/L	0	01/30 - Monthly	GR - GRAB	Permit Req.	<=	51.0	MO AVG		Req Mon	DAILY MX	28 - ug/L					01/30 - Monthly	GR - GRAB	Value NODI														34247	Benzo[a]pyrene	1 - Effluent Gross	0	--	Sample	=	0.0			=	0.0	28 - ug/L	0	01/30 - Monthly	GR - GRAB	Permit Req.	<=	0.1	MO AVG		Req Mon	DAILY MX	28 - ug/L					01/30 - Monthly	GR - GRAB	Value NODI														34696	Naphthalene	1 - Effluent Gross	0	--	Sample	=	0.0			=	0.0	28 - ug/L	0	01/30 - Monthly	GR - GRAB	Permit Req.	<=	100.0	MO AVG		Req Mon	DAILY MX	28 - ug/L					01/30 - Monthly	GR - GRAB	Value NODI														82220	Flow, total	1 - Effluent Gross	0	--	Sample	=	0.001276	80 - Mgal/mo					0	WH/DS - When Discharging	MT - METER	Permit Req.		Req Mon	DAILY MX	80 - Mgal/mo								WH/DS - When Discharging	MT - METER	Value NODI														84165	Discharge event observation [Visual Monitoring]	1 - Effluent Gross	0	--	Sample	=	4.0			=	93 - occur/mo		0	WH/DS - When Discharging	OC - OCCURS	Permit Req.					Req Mon	DAILY MX	93 - occur/mo					WH/DS - When Discharging	OC - OCCURS	Value NODI													
Code	Parameter	Monitoring Location	Season #	Param. NODI	Quantity or Loading				Quality or Concentration				# of Ex.	Frequency of Analysis						Sample Type																																																																																																																																																																																																																																																																																																																																																																																																																																		
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2			Value 2	Qualifier 3	Value 3	Units																																																																																																																																																																																																																																																																																																																																																																																																																																				
00056	Flow rate	R - See Comments	0	--	Sample	=	310.0	78 - gal/min					0	WH/DS - When Discharging	ES - ESTIMA																																																																																																																																																																																																																																																																																																																																																																																																																																							
					Permit Req.	<=	700.0	DAILY MX	78 - gal/min									WH/DS - When Discharging	ES - ESTIMA																																																																																																																																																																																																																																																																																																																																																																																																																																			
					Value NODI																																																																																																																																																																																																																																																																																																																																																																																																																																																	
00400	pH	1 - Effluent Gross	0	--	Sample	=	8.23			=	8.23	12 - SU	0	01/30 - Monthly	GR - GRAB																																																																																																																																																																																																																																																																																																																																																																																																																																							
					Permit Req.	>=	6.5	MINIMUM		<=	8.5	MAXIMUM		12 - SU				01/30 - Monthly	GR - GRAB																																																																																																																																																																																																																																																																																																																																																																																																																																			
					Value NODI																																																																																																																																																																																																																																																																																																																																																																																																																																																	
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample	=	16.0			=	18.0	19 - mg/L	0	02/30 - Twice Per Month	GR - GRAB																																																																																																																																																																																																																																																																																																																																																																																																																																							
					Permit Req.	<=	30.0	MO AVG		<=	100.0	DAILY MX		19 - mg/L				02/30 - Twice Per Month	GR - GRAB																																																																																																																																																																																																																																																																																																																																																																																																																																			
					Value NODI																																																																																																																																																																																																																																																																																																																																																																																																																																																	
03582	Oil and grease	1 - Effluent Gross	0	--	Sample	=	0.0			=	0.0	19 - mg/L	0	01/30 - Monthly	GR - GRAB																																																																																																																																																																																																																																																																																																																																																																																																																																							
					Permit Req.	<=	15.0	DAILY MX		<=	15.0	DAILY MX		19 - mg/L				01/30 - Monthly	GR - GRAB																																																																																																																																																																																																																																																																																																																																																																																																																																			
					Value NODI																																																																																																																																																																																																																																																																																																																																																																																																																																																	
34030	Benzene	1 - Effluent Gross	0	--	Sample	=	0.0			=	0.0	28 - ug/L	0	01/30 - Monthly	GR - GRAB																																																																																																																																																																																																																																																																																																																																																																																																																																							
					Permit Req.	<=	51.0	MO AVG		Req Mon	DAILY MX	28 - ug/L						01/30 - Monthly	GR - GRAB																																																																																																																																																																																																																																																																																																																																																																																																																																			
					Value NODI																																																																																																																																																																																																																																																																																																																																																																																																																																																	
34247	Benzo[a]pyrene	1 - Effluent Gross	0	--	Sample	=	0.0			=	0.0	28 - ug/L	0	01/30 - Monthly	GR - GRAB																																																																																																																																																																																																																																																																																																																																																																																																																																							
					Permit Req.	<=	0.1	MO AVG		Req Mon	DAILY MX	28 - ug/L						01/30 - Monthly	GR - GRAB																																																																																																																																																																																																																																																																																																																																																																																																																																			
					Value NODI																																																																																																																																																																																																																																																																																																																																																																																																																																																	
34696	Naphthalene	1 - Effluent Gross	0	--	Sample	=	0.0			=	0.0	28 - ug/L	0	01/30 - Monthly	GR - GRAB																																																																																																																																																																																																																																																																																																																																																																																																																																							
					Permit Req.	<=	100.0	MO AVG		Req Mon	DAILY MX	28 - ug/L						01/30 - Monthly	GR - GRAB																																																																																																																																																																																																																																																																																																																																																																																																																																			
					Value NODI																																																																																																																																																																																																																																																																																																																																																																																																																																																	
82220	Flow, total	1 - Effluent Gross	0	--	Sample	=	0.001276	80 - Mgal/mo					0	WH/DS - When Discharging	MT - METER																																																																																																																																																																																																																																																																																																																																																																																																																																							
					Permit Req.		Req Mon	DAILY MX	80 - Mgal/mo									WH/DS - When Discharging	MT - METER																																																																																																																																																																																																																																																																																																																																																																																																																																			
					Value NODI																																																																																																																																																																																																																																																																																																																																																																																																																																																	
84165	Discharge event observation [Visual Monitoring]	1 - Effluent Gross	0	--	Sample	=	4.0			=	93 - occur/mo		0	WH/DS - When Discharging	OC - OCCURS																																																																																																																																																																																																																																																																																																																																																																																																																																							
					Permit Req.					Req Mon	DAILY MX	93 - occur/mo						WH/DS - When Discharging	OC - OCCURS																																																																																																																																																																																																																																																																																																																																																																																																																																			
					Value NODI																																																																																																																																																																																																																																																																																																																																																																																																																																																	

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

Name	Type	Size
MA0000825-001_Lab(1)_2022_06.pdf	pdf	843179.0
MA0000825-001_Lab(2)_2022_06.pdf	pdf	755137.0

Report Last Saved By
GLOBAL COMPANIES LLC

User: SBARRIENTOS@ROUXINC.COM
Name: Sara Barrientos
E-Mail: sbarrientos@rouxinc.com
Date/Time: 2022-07-06 10:55 (Time Zone: -04:00)

Report Last Signed By

User: SCHARRON@GLOBALP.COM
Name: Steven Charron
E-Mail: scharron@globalp.com
Date/Time: 2022-07-13 08:41 (Time Zone: -04:00)