

DMR Copy of Record

Permit			
Permit #:	MA0003425	Permittee:	GLOBAL COMPANIES LLC
Major:	No	Permittee Address:	800 SOUTH STREET SUITE 500 WALTHAM, MA 02454
Permitted Feature:	001 External Outfall	Discharge:	001-A MONTHLY MONITORING FROM INTERNAL OUTFALLS 002 & 003
Facility:	GLOBAL PETROLEUM CORP - REVERE		
Facility Location:	140 LEE BURBANK HIGHWAY REVERE, MA 02151		

Report Dates & Status			
Monitoring Period:	From 05/01/21 to 05/31/21	DMR Due Date:	06/15/21
Status:	NetDMR Validated		

Considerations for Form Completion

Principal Executive Officer			
First Name:	Tom	Title:	VP Env. H and S
Last Name:	Keefe	Telephone:	781-398-4132

No Data Indicator (NODI)
Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading			Quality or Concentration			# of Ex.	Frequency of Analysis	Sample Type			
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1				Value 1	Qualifier 2	Value 2
00056	Flow rate	1 - Effluent Gross	0	--	Sample	=	190.0	78 - gal/min						0	WH/DS - When Discharging	ES - ESTIMA
					Permit Req.	<=	880.0 DAILY MX	78 - gal/min								
					Value NODI											
00400	pH	1 - Effluent Gross	0	--	Sample	=	7.73			=	7.73	12 - SU	0	01/30 - Monthly	GR - GRAB	
					Permit Req.	>=	6.5 MINIMUM			<=	8.5 MAXIMUM	12 - SU				
					Value NODI											
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample	=	0.0	19 - mg/L		=	0.0	19 - mg/L	0	01/30 - Monthly	GR - GRAB	
					Permit Req.	<=	15.0 DAILY MX	19 - mg/L								
					Value NODI											
34030	Benzene	1 - Effluent Gross	0	--	Sample	=	2.6	28 - ug/L		=	2.6	28 - ug/L	0	01/30 - Monthly	GR - GRAB	
					Permit Req.	<=	51.0 MO AVG	28 - ug/L			Req Mon DAILY MX	28 - ug/L				
					Value NODI											
34247	Benzo[a]pyrene	1 - Effluent Gross	0	--	Sample	=	0.0	28 - ug/L		=	0.0	28 - ug/L	0	01/30 - Monthly	GR - GRAB	
					Permit Req.	<=	0.1 MO AVG	28 - ug/L			Req Mon DAILY MX	28 - ug/L				
					Value NODI											
34696	Naphthalene	1 - Effluent Gross	0	--	Sample	=	0.11	28 - ug/L		=	0.11	28 - ug/L	0	01/30 - Monthly	GR - GRAB	
					Permit Req.	<=	100.0 MO AVG	28 - ug/L			Req Mon DAILY MX	28 - ug/L				
					Value NODI											
82220	Flow, total	1 - Effluent Gross	0	--	Sample	=	1.096901	80 - Mgal/mo					0	WH/DS - When Discharging	MT - METER	
					Permit Req.		Req Mon DAILY MX	80 - Mgal/mo								
					Value NODI											
84165	Discharge event observation [Visual Monitoring]	1 - Effluent Gross	0	--	Sample					=	3.0	93 - occur/mo	0	WH/DS - When Discharging	OC - OCCURS	
					Permit Req.						Req Mon MO TOTAL	93 - occur/mo				
					Value NODI											

Submission Note
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors
No errors.

Comments
Outfall 001 data consists of data collected at Outfall 002 as a commingled discharge from Outfall 002 and Outfall 003 did not occur at the time of sampling. The data is representative of the discharge at Outfall 001.

Name	Type	Size
MA0003425-002_Lab(1)_2021_05.pdf	pdf	662374.0

Report Last Saved By
GLOBAL COMPANIES LLC
User: thenderson@rouxinc.com
Name: Thomas Henderson

E-Mail: thenderson@rouxinc.com
Date/Time: 2021-06-10 14:16 (Time Zone: -04:00)

Report Last Signed By

User: SCHARRON@GLOBALP.COM

Name: Steven Charron

E-Mail: scharron@globalp.com

Date/Time: 2021-06-11 15:54 (Time Zone: -04:00)

DMR Copy of Record

Permit			
Permit #: MA0003425	Permittee: GLOBAL COMPANIES LLC	Facility: GLOBAL PETROLEUM CORP - REVERE	
Major: No	Permittee Address: 800 SOUTH STREET SUITE 500 WALTHAM, MA 02454	Facility Location: 140 LEE BURBANK HIGHWAY REVERE, MA 02151	
Permitted Feature: 002 External Outfall	Discharge: 002-A TREATED H2O THROUGH INTERNAL WASTE STREAM VIA OUTFALL 001		

Report Dates & Status			
Monitoring Period: From 05/01/21 to 05/31/21	DMR Due Date: 06/15/21	Status: NetDMR Validated	

Considerations for Form Completion

Principal Executive Officer			
First Name: Tom	Title: VP Env. H and S	Telephone: 781-398-4132	
Last Name: Keefe			

No Data Indicator (NODI)
Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading				Quality or Concentration				# of Ex.	Frequency of Analysis	Sample Type		
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2				Value 2	Qualifier 3
00056	Flow rate	1 - Effluent Gross	0	--	Sample	=	160.0		78 - gal/min						0	WH/DS - When Discharging	ES - ESTIMA
					Permit Req.	<=	830.0 DAILY MX		78 - gal/min								
					Value NODI												
00400	pH	1 - Effluent Gross	0	--	Sample	=			7.73			=	7.73	12 - SU	0	01/30 - Monthly	GR - GRAB
					Permit Req.	>=			6.5 MINIMUM		<=	8.5 MAXIMUM	12 - SU				
					Value NODI												
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample	=			10.55			=	12.4	19 - mg/L	0	02/30 - Twice Per Month	GR - GRAB
					Permit Req.	<=			30.0 MO AVG		<=	100.0 DAILY MX	19 - mg/L				
					Value NODI												
22417	Methyl tert-butyl ether [MTBE]	1 - Effluent Gross	0	--	Sample							=	0.0	28 - ug/L	0	01/30 - Monthly	GR - GRAB
					Permit Req.						<=	70.0 DAILY MX	28 - ug/L				
					Value NODI												
34030	Benzene	1 - Effluent Gross	0	--	Sample							=	2.6	28 - ug/L	0	01/30 - Monthly	GR - GRAB
					Permit Req.						<=	5.0 DAILY MX	28 - ug/L				
					Value NODI												
34696	Naphthalene	1 - Effluent Gross	0	--	Sample							=	0.11	28 - ug/L	0	01/30 - Monthly	GR - GRAB
					Permit Req.						<=	20.0 DAILY MX	28 - ug/L				
					Value NODI												
49491	BTEX	1 - Effluent Gross	0	--	Sample							=	2.6	28 - ug/L	0	01/30 - Monthly	GR - GRAB
					Permit Req.						<=	100.0 DAILY MX	28 - ug/L				
					Value NODI												
77004	Ethanol	1 - Effluent Gross	0	--	Sample							=	0.0	19 - mg/L	0	01/30 - Monthly	GR - GRAB
					Permit Req.							Req Mon DAILY MX	19 - mg/L				
					Value NODI												
82181	Hydrocarbons, total petroleum	1 - Effluent Gross	0	--	Sample							=	0.0	19 - mg/L	0	01/30 - Monthly	GR - GRAB
					Permit Req.						<=	5.0 DAILY MX	19 - mg/L				
					Value NODI												
82220	Flow, total	1 - Effluent Gross	0	--	Sample	=	1.080901		80 - Mgal/mo						0	WH/DS - When Discharging	MT - METER
					Permit Req.				Req Mon DAILY MX		80 - Mgal/mo						
					Value NODI												

Submission Note
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors
No errors.

Comments

Attachments

Name	Type	Size
------	------	------

MA0003425-002_Lab(1)_2021_05.pdf	pdf	662374.0
MA0003425-002_Lab(2)_2021_05.pdf	pdf	603938.0

Report Last Saved By

GLOBAL COMPANIES LLC

User: BRADLEY1.CONNOR
Name: Connor Bradley
E-Mail: cbradley@rouxinc.com
Date/Time: 2021-06-07 19:33 (Time Zone: -04:00)

Report Last Signed By

User: SCHARRON@GLOBALP.COM
Name: Steven Charron
E-Mail: scharron@globalp.com
Date/Time: 2021-06-11 15:54 (Time Zone: -04:00)

DMR Copy of Record

Permit			
Permit #:	MA0003425	Permittee:	GLOBAL COMPANIES LLC
Major:	No	Permittee Address:	800 SOUTH STREET SUITE 500 WALTHAM, MA 02454
Permitted Feature:	003 External Outfall	Discharge:	003-A TREATED H2O THROUGH INTERNAL WASTE STREAM VIA OUTFALL 001
Facility:	GLOBAL PETROLEUM CORP - REVERE		
Facility Location:	140 LEE BURBANK HIGHWAY REVERE, MA 02151		

Report Dates & Status			
Monitoring Period:	From 05/01/21 to 05/31/21	DMR Due Date:	06/15/21
Status:	NetDMR Validated		

Considerations for Form Completion

Principal Executive Officer			
First Name:	Tom	Title:	VP Env. H and S
Last Name:	Keefe	Telephone:	781-398-4132

No Data Indicator (NODI)
Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading				Quality or Concentration						# of Ex.	Frequency of Analysis	Sample Type	
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3
00056	Flow rate	1 - Effluent Gross	0	--	Sample	=	30.0		78 - gal/min							0	WH/DS - When Discharging	ES - ESTIMA
					Permit Req.	<=	50.0 DAILY MX		78 - gal/min									
					Value NODI													
00400	pH	1 - Effluent Gross	0	--	Sample	=	7.26				=	7.26		12 - SU	0	01/30 - Monthly	GR - GRAB	
					Permit Req.	>=	6.5 MINIMUM			<=	8.5 MAXIMUM		12 - SU					
					Value NODI													
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample	=	1.3				=	1.3		19 - mg/L	0	01/30 - Monthly	GR - GRAB	
					Permit Req.	<=	30.0 MO AVG			<=	100.0 DAILY MX		19 - mg/L					
					Value NODI													
22417	Methyl tert-butyl ether [MTBE]	1 - Effluent Gross	0	--	Sample						=	0.0		28 - ug/L	0	01/30 - Monthly	GR - GRAB	
					Permit Req.					<=	20.0 DAILY MX		28 - ug/L					
					Value NODI													
22456	Polynuclear Aromatic Hydrocarbons [PAHs]	1 - Effluent Gross	0	--	Sample						=	0.0		28 - ug/L	0	01/30 - Monthly	GR - GRAB	
					Permit Req.					<=	0.1 DAILY MX		28 - ug/L					
					Value NODI													
22456	Polynuclear Aromatic Hydrocarbons [PAHs]	EG - Effluent Gross	0	--	Sample						=	0.0		28 - ug/L	0	01/30 - Monthly	GR - GRAB	
					Permit Req.					<=	10.0 DAILY MX		28 - ug/L					
					Value NODI													
22456	Polynuclear Aromatic Hydrocarbons [PAHs]	Y - Effluent Gross (Supplementary)	0	--	Sample						=	0.0		28 - ug/L	0	01/30 - Monthly	GR - GRAB	
					Permit Req.					<=	100.0 DAILY MX		28 - ug/L					
					Value NODI													
34030	Benzene	1 - Effluent Gross	0	--	Sample						=	0.0		28 - ug/L	0	01/30 - Monthly	GR - GRAB	
					Permit Req.					<=	5.0 DAILY MX		28 - ug/L					
					Value NODI													
34696	Naphthalene	1 - Effluent Gross	0	--	Sample						=	0.0		28 - ug/L	0	01/30 - Monthly	GR - GRAB	
					Permit Req.					<=	20.0 DAILY MX		28 - ug/L					
					Value NODI													
49491	BTEX	1 - Effluent Gross	0	--	Sample						=	0.0		28 - ug/L	0	01/30 - Monthly	GR - GRAB	
					Permit Req.					<=	100.0 DAILY MX		28 - ug/L					
					Value NODI													
82181	Hydrocarbons, total petroleum	1 - Effluent Gross	0	--	Sample						=	0.0		19 - mg/L	0	01/30 - Monthly	GR - GRAB	
					Permit Req.					<=	5.0 DAILY MX		19 - mg/L					
					Value NODI													
82220	Flow, total	1 - Effluent Gross	0	--	Sample	=	0.016		80 - Mgal/mo						0	WH/DS - When Discharging	MT - METER	
					Permit Req.				Req Mon DAILY MX	80 - Mgal/mo								
					Value NODI													

Submission Note
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

Name	Type	Size
MA0003425-003_Lab_2021_05.pdf	pdf	675912.0

Report Last Saved By

GLOBAL COMPANIES LLC

User: BRADLEY1.CONNOR
Name: Connor Bradley
E-Mail: cbradley@rouxinc.com
Date/Time: 2021-06-07 19:32 (Time Zone: -04:00)

Report Last Signed By

User: SCHARRON@GLOBALP.COM
Name: Steven Charron
E-Mail: scharron@globalp.com
Date/Time: 2021-06-11 15:54 (Time Zone: -04:00)

DMR Copy of Record

Permit			
Permit #:	MA0003298	Permittee:	GLOBAL COMPANIES, LLC
Major:	No	Permittee Address:	800 South Streete Suite 500 Waltham, MA 02454
Permitted Feature:	001 External Outfall	Discharge:	001-A TREATED & UNTREATED STORMWATER OUTFALL 001
Facility:	GLOBAL REVCO TERMINAL, LLC		Facility Location:
		186 LEE BURBANK HIGHWAY REVERE, MA 02151	

Report Dates & Status			
Monitoring Period:	From 05/01/21 to 05/31/21	DMR Due Date:	06/15/21
Status:	NetDMR Validated		

Considerations for Form Completion
U

Principal Executive Officer			
First Name:	Tom	Title:	VP Env. H and S
Last Name:	Keefe	Telephone:	781-398-4132

No Data Indicator (NODI)
Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading				Quality or Concentration				# of Ex.	Frequency of Analysis	Sample Type		
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2				Value 2	Qualifier 3
00056	Flow rate	R - See Comments	0	--	Sample		=	35.0	78 - gal/min						0	WH/DS - When Discharging	ES - ESTIMA
					Permit Req.		<=	75.0 DAILY MX	78 - gal/min								
					Value NODI												
00400	pH	1 - Effluent Gross	0	--	Sample		=	7.77			=	7.77	12 - SU	0	01/30 - Monthly	GR - GRAB	
					Permit Req.		>=	6.5 MINIMUM			<=	8.5 MAXIMUM	12 - SU				
					Value NODI												
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample		=	0.75			=	1.5	19 - mg/L	0	02/30 - Twice Per Month	GR - GRAB	
					Permit Req.		<=	30.0 MO AVG			<=	100.0 DAILY MX	19 - mg/L				
					Value NODI												
03582	Oil and grease	1 - Effluent Gross	0	--	Sample		=	0.0			=	0.0	19 - mg/L	0	01/30 - Monthly	GR - GRAB	
					Permit Req.		<=	15.0 DAILY MX			<=	15.0 DAILY MX	19 - mg/L				
					Value NODI												
34030	Benzene	1 - Effluent Gross	0	--	Sample		=	0.0			=	0.0	28 - ug/L	0	01/30 - Monthly	GR - GRAB	
					Permit Req.		<=	51.0 MO AVG			<=	15.0 DAILY MX	28 - ug/L				
					Value NODI												
34247	Benzo[a]pyrene	1 - Effluent Gross	0	--	Sample		=	0.0			=	0.0	28 - ug/L	0	01/30 - Monthly	GR - GRAB	
					Permit Req.		<=	0.1 MO AVG			<=	15.0 DAILY MX	28 - ug/L				
					Value NODI												
34696	Naphthalene	1 - Effluent Gross	0	--	Sample		=	0.0			=	0.0	28 - ug/L	0	01/30 - Monthly	GR - GRAB	
					Permit Req.		<=	100.0 MO AVG			<=	15.0 DAILY MX	28 - ug/L				
					Value NODI												
82220	Flow, total	1 - Effluent Gross	0	--	Sample		=	0.0558	80 - Mgal/mo					0	WH/DS - When Discharging	MT - METER	
					Permit Req.			Req Mon DAILY MX	80 - Mgal/mo								
					Value NODI												
84165	Discharge event observation [Visual Monitoring]	1 - Effluent Gross	0	--	Sample		=	3.0	93 - occur/mo					0	WH/DS - When Discharging	OC - OCCURS	
					Permit Req.			Req Mon DAILY MX	93 - occur/mo								
					Value NODI												

Submission Note
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors
No errors.

Comments

Attachments		
Name	Type	Size
MA0003298-001_Lab(1)_2021_05.pdf	pdf	640799.0
MA0003298-001_Lab(2)_2021_05.pdf	pdf	586085.0

Report Last Saved By

GLOBAL COMPANIES, LLC

User: BRADLEY1.CONNOR
Name: Connor Bradley
E-Mail: cbradley@rouxinc.com
Date/Time: 2021-06-07 19:33 (Time Zone: -04:00)

Report Last Signed By

User: SCHARRON@GLOBALP.COM
Name: Steven Charron
E-Mail: scharron@globalp.com
Date/Time: 2021-06-11 15:54 (Time Zone: -04:00)

DMR Copy of Record

Permit			
Permit #:	MA0003298	Permittee:	GLOBAL COMPANIES, LLC
Major:	No	Permittee Address:	800 South Streete Suite 500 Waltham, MA 02454
Permitted Feature:	005 External Outfall	Discharge:	005-A TREATED STORMWATER & HYDROSTATIC TEST WATER OUTFALL 005
Facility:	GLOBAL REVCO TERMINAL, LLC		Facility Location:
		186 LEE BURBANK HIGHWAY REVERE, MA 02151	

Report Dates & Status			
Monitoring Period:	From 05/01/21 to 05/31/21	DMR Due Date:	06/15/21
Status:	NetDMR Validated		

Considerations for Form Completion

Principal Executive Officer			
First Name:	Tom	Title:	VP Env. H and S
Last Name:	Keefe	Telephone:	781-398-4132

No Data Indicator (NODI)
Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading			Quality or Concentration			# of Ex.	Frequency of Analysis	Sample Type		
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1				Value 1	Qualifier 2
00056	Flow rate	R - See Comments	0	--	Sample	=	350.0	78 - gal/min					0	WH/DS - When Discharging	ES - ESTIMA
					Permit Req.	<=	500.0 DAILY MX	78 - gal/min							
					Value NODI										
00400	pH	1 - Effluent Gross	0	--	Sample	=	8.13			=	8.13	12 - SU	0	01/30 - Monthly	GR - GRAB
					Permit Req.	>=	6.5 MINIMUM			<=	8.5 MAXIMUM	12 - SU			
					Value NODI										
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample	=	12.0			=	12.0	19 - mg/L	0	01/30 - Monthly	GR - GRAB
					Permit Req.	<=	30.0 MO AVG			<=	100.0 DAILY MX	19 - mg/L			
					Value NODI										
03582	Oil and grease	1 - Effluent Gross	0	--	Sample	=	0.0			=	0.0	28 - ug/L	0	01/30 - Monthly	GR - GRAB
					Permit Req.	<=	5.0 DAILY MX			<=	5.0 DAILY MX	28 - ug/L			
					Value NODI										
34030	Benzene	1 - Effluent Gross	0	--	Sample	=	0.0			=	0.0	28 - ug/L	0	01/30 - Monthly	GR - GRAB
					Permit Req.	<=	2.0 DAILY MX			<=	2.0 DAILY MX	28 - ug/L			
					Value NODI										
X 34247	Benzo[a]pyrene	1 - Effluent Gross	0	--	Sample	=	0.116			=	0.116	28 - ug/L	0	01/30 - Monthly	GR - GRAB
					Permit Req.	<=	0.1 DAILY MX			<=	0.1 DAILY MX	28 - ug/L			
					Value NODI										
34696	Naphthalene	1 - Effluent Gross	0	--	Sample	=	0.105			=	0.105	28 - ug/L	0	01/30 - Monthly	GR - GRAB
					Permit Req.	<=	5.0 DAILY MX			<=	5.0 DAILY MX	28 - ug/L			
					Value NODI										
82220	Flow, total	1 - Effluent Gross	0	--	Sample	=	1.429	80 - Mgal/mo					0	WH/DS - When Discharging	MT - METER
					Permit Req.		Req Mon DAILY MX	80 - Mgal/mo							
					Value NODI										
84165	Discharge event observation [Visual Monitoring]	1 - Effluent Gross	0	--	Sample	=	1.0	93 - occur/mo					0	WH/DS - When Discharging	OC - OCCURS
					Permit Req.		Req Mon DAILY MX	93 - occur/mo							
					Value NODI										

Submission Note
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors						
Code	Parameter Name	Monitoring Location	Field	Type	Description	Acknowledge
34247	Benzo[a]pyrene	1 - Effluent Gross	Quality or Concentration Sample Value 3	Soft	The provided sample value is outside the permit limit. Please verify that the value you have provided is correct.	Yes

Comments

Attachments		
Name	Type	Size

MA0003298-005_Exceedance_2021_05.pdf	pdf	206271.0
MA0003298-005_Lab(1)_2021_05.pdf	pdf	640521.0

Report Last Saved By

GLOBAL COMPANIES, LLC

User: thenderson@rouxinc.com
Name: Thomas Henderson
E-Mail: thenderson@rouxinc.com
Date/Time: 2021-06-10 14:00 (Time Zone: -04:00)

Report Last Signed By

User: SCHARRON@GLOBALP.COM
Name: Steven Charron
E-Mail: scharron@globalp.com
Date/Time: 2021-06-11 15:54 (Time Zone: -04:00)

DMR Copy of Record

Permit			
Permit #:	MA0000825	Permittee:	GLOBAL COMPANIES LLC
Major:	No	Permittee Address:	800 SOUTH STREET SUITE 500 WALTHAM, MA 02454
Permitted Feature:	001 External Outfall	Discharge:	001-A TREATED STORMWATERY & HYDROSTATIC TEST WATER FROM OUTFALL 001
Facility:	GLOBAL SOUTH TERMINAL		Facility Location:
		96 LEE BURBANK HIGHWAY REVERE, MA 02150	

Report Dates & Status			
Monitoring Period:	From 05/01/21 to 05/31/21	DMR Due Date:	06/15/21
Status:	NetDMR Validated		

Considerations for Form Completion

Principal Executive Officer			
First Name:	Tom	Title:	VP Env. H and S
Last Name:	Keefe	Telephone:	781-398-4132

No Data Indicator (NODI)
Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading				Quality or Concentration				# of Ex.	Frequency of Analysis	Sample Type	
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2				Value 2
00056	Flow rate	R - See Comments	0	--	Sample		=	310.0	78 - gal/min						0	WH/DS - When Discharging ES - ESTIMA
					Permit Req.		<=	700.0 DAILY MX	78 - gal/min							
					Value NODI											
00400	pH	1 - Effluent Gross	0	--	Sample		=	7.64			=	7.64	12 - SU	0	01/30 - Monthly GR - GRAB	
					Permit Req.		>=	6.5 MINIMUM			<=	8.5 MAXIMUM	12 - SU			
					Value NODI											
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample		=	10.0			=	10.0	19 - mg/L	0	01/30 - Monthly GR - GRAB	
					Permit Req.		<=	30.0 MO AVG			<=	100.0 DAILY MX	19 - mg/L			
					Value NODI											
03582	Oil and grease	1 - Effluent Gross	0	--	Sample		=	0.0			=	0.0	19 - mg/L	0	01/30 - Monthly GR - GRAB	
					Permit Req.		<=	15.0 DAILY MX			<=	15.0 DAILY MX	19 - mg/L			
					Value NODI											
34030	Benzene	1 - Effluent Gross	0	--	Sample		=	2.9			=	2.9	28 - ug/L	0	01/30 - Monthly GR - GRAB	
					Permit Req.		<=	51.0 MO AVG				Req Mon DAILY MX	28 - ug/L			
					Value NODI											
34247	Benzo[a]pyrene	1 - Effluent Gross	0	--	Sample		=	0.0			=	0.0	28 - ug/L	0	01/30 - Monthly GR - GRAB	
					Permit Req.		<=	0.1 MO AVG				Req Mon DAILY MX	28 - ug/L			
					Value NODI											
34696	Naphthalene	1 - Effluent Gross	0	--	Sample		=	0.32			=	0.32	28 - ug/L	0	01/30 - Monthly GR - GRAB	
					Permit Req.		<=	100.0 MO AVG				Req Mon DAILY MX	28 - ug/L			
					Value NODI											
82220	Flow, total	1 - Effluent Gross	0	--	Sample		=	0.1492	80 - Mgal/mo					0	WH/DS - When Discharging MT - METER	
					Permit Req.			Req Mon DAILY MX	80 - Mgal/mo							
					Value NODI											
84165	Discharge event observation [Visual Monitoring]	1 - Effluent Gross	0	--	Sample		=				=	1.0	93 - occur/mo	0	WH/DS - When Discharging OC - OCCURS	
					Permit Req.							Req Mon DAILY MX	93 - occur/mo			
					Value NODI											

Submission Note
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors
No errors.

Comments

Attachments

Name	Type	Size
MA0000825_Lab(1)_2021_05.pdf	pdf	636413.0

Report Last Saved By

GLOBAL COMPANIES LLC

User: BRADLEY1.CONNOR
Name: Connor Bradley
E-Mail: cbradley@rouxinc.com
Date/Time: 2021-06-07 19:32 (Time Zone: -04:00)

Report Last Signed By

User: SCHARRON@GLOBALP.COM
Name: Steven Charron
E-Mail: scharron@globalp.com
Date/Time: 2021-06-11 15:54 (Time Zone: -04:00)