

DMR Copy of Record

<b>Permit</b>					
Permit #:	MA0003425	Permittee:	GLOBAL COMPANIES LLC	Facility:	GLOBAL PETROLEUM CORP - REVERE
Major:	No	Permittee Address:	800 SOUTH STREET SUITE 500 WALTHAM, MA 02454	Facility Location:	140 LEE BURBANK HIGHWAY REVERE, MA 02151
Permitted Feature:	001 External Outfall	Discharge:	001-P QUARTERLY EFFLUENT/ RECEIVING H2O POLLUTANT SCAN FROM OUTFALL 001		

<b>Report Dates &amp; Status</b>					
Monitoring Period:	From 01/01/21 to 03/31/21	DMR Due Date:	04/15/21	Status:	NetDMR Validated

Considerations for Form Completion

<b>Principal Executive Officer</b>					
First Name:	Tom	Title:	V.P. Env. H and S	Telephone:	781-398-4132
Last Name:	Keefe				

No Data Indicator (NODI)  
Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration				# of Ex.	Frequency of Analysis	Sample Type
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2			
00619	Ammonia, unionized	1 - Effluent Gross	0	--	Sample						=	0.000778	19 - mg/L	0	01/90 - Quarterly	GR - GRAB
					Permit Req.							Req Mon DAILY MX	19 - mg/L		01/90 - Quarterly	GR - GRAB
					Value NODI											
01034	Chromium, total [as Cr]	1 - Effluent Gross	0	--	Sample						=	0.0	28 - ug/L	0	01/90 - Quarterly	GR - GRAB
					Permit Req.							Req Mon DAILY MX	28 - ug/L		01/90 - Quarterly	GR - GRAB
					Value NODI											
01046	Iron, dissolved [as Fe]	1 - Effluent Gross	0	--	Sample						=	1480.0	28 - ug/L	0	01/90 - Quarterly	GR - GRAB
					Permit Req.							Req Mon DAILY MX	28 - ug/L		01/90 - Quarterly	GR - GRAB
					Value NODI											
34010	Toluene	1 - Effluent Gross	0	--	Sample						=	0.0	28 - ug/L	0	01/90 - Quarterly	GR - GRAB
					Permit Req.							Req Mon DAILY MX	28 - ug/L		01/90 - Quarterly	GR - GRAB
					Value NODI											
34010	Toluene	RW - Receiving Water	0	--	Sample						=	0.0	28 - ug/L	0	01/90 - Quarterly	GR - GRAB
					Permit Req.							Req Mon DAILY MX	28 - ug/L		01/90 - Quarterly	GR - GRAB
					Value NODI											
34030	Benzene	1 - Effluent Gross	0	--	Sample						=	0.0	28 - ug/L	0	01/90 - Quarterly	GR - GRAB
					Permit Req.							Req Mon DAILY MX	28 - ug/L		01/90 - Quarterly	GR - GRAB
					Value NODI											
34030	Benzene	RW - Receiving Water	0	--	Sample						=	0.0	28 - ug/L	0	01/90 - Quarterly	GR - GRAB
					Permit Req.							Req Mon DAILY MX	28 - ug/L		01/90 - Quarterly	GR - GRAB
					Value NODI											
34200	Acenaphthylene	1 - Effluent Gross	0	--	Sample						=	0.0	28 - ug/L	0	01/90 - Quarterly	GR - GRAB
					Permit Req.							Req Mon DAILY MX	28 - ug/L		01/90 - Quarterly	GR - GRAB
					Value NODI											
34200	Acenaphthylene	RW - Receiving Water	0	--	Sample						=	0.0	28 - ug/L	0	01/90 - Quarterly	GR - GRAB
					Permit Req.							Req Mon DAILY MX	28 - ug/L		01/90 - Quarterly	GR - GRAB
					Value NODI											
34205	Acenaphthene	1 - Effluent Gross	0	--	Sample						=	0.168	28 - ug/L	0	01/90 - Quarterly	GR - GRAB
					Permit Req.							Req Mon DAILY MX	28 - ug/L		01/90 - Quarterly	GR - GRAB
					Value NODI											
34205	Acenaphthene	RW - Receiving Water	0	--	Sample						=	0.0	28 - ug/L	0	01/90 - Quarterly	GR - GRAB
					Permit Req.							Req Mon DAILY MX	28 - ug/L		01/90 - Quarterly	GR - GRAB
					Value NODI											
34220	Anthracene	1 - Effluent Gross	0	--	Sample						=	0.0	28 - ug/L	0	01/90 - Quarterly	GR - GRAB
					Permit Req.							Req Mon DAILY MX	28 - ug/L		01/90 - Quarterly	GR - GRAB
					Value NODI											
34220	Anthracene	RW - Receiving Water	0	--	Sample						=	0.0	28 - ug/L	0	01/90 - Quarterly	GR - GRAB
					Permit Req.							Req Mon DAILY MX	28 - ug/L		01/90 - Quarterly	GR - GRAB
					Value NODI											

34230	Benzo[b]fluoranthene	1 - Effluent Gross	0	--	Sample	=	0.053	28 - ug/L	0	01/90 - Quarterly	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/90 - Quarterly	GR - GRAB
					Value NODI						
34230	Benzo[b]fluoranthene	RW - Receiving Water	0	--	Sample	=	0.0	28 - ug/L	0	01/90 - Quarterly	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/90 - Quarterly	GR - GRAB
					Value NODI						
34242	Benzo[k]fluoranthene	1 - Effluent Gross	0	--	Sample	=	0.053	28 - ug/L	0	01/90 - Quarterly	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/90 - Quarterly	GR - GRAB
					Value NODI						
34242	Benzo[k]fluoranthene	RW - Receiving Water	0	--	Sample	=	0.0	28 - ug/L	0	01/90 - Quarterly	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/90 - Quarterly	GR - GRAB
					Value NODI						
34247	Benzo[a]pyrene	1 - Effluent Gross	0	--	Sample	=	0.0	28 - ug/L	0	01/90 - Quarterly	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/90 - Quarterly	GR - GRAB
					Value NODI						
34247	Benzo[a]pyrene	RW - Receiving Water	0	--	Sample	=	0.0	28 - ug/L	0	01/90 - Quarterly	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/90 - Quarterly	GR - GRAB
					Value NODI						
34320	Chrysene	1 - Effluent Gross	0	--	Sample	=	0.063	28 - ug/L	0	01/90 - Quarterly	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/90 - Quarterly	GR - GRAB
					Value NODI						
34320	Chrysene	RW - Receiving Water	0	--	Sample	=	0.0	28 - ug/L	0	01/90 - Quarterly	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/90 - Quarterly	GR - GRAB
					Value NODI						
34371	Ethylbenzene	1 - Effluent Gross	0	--	Sample	=	0.0	28 - ug/L	0	01/90 - Quarterly	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/90 - Quarterly	GR - GRAB
					Value NODI						
34371	Ethylbenzene	RW - Receiving Water	0	--	Sample	=	0.0	28 - ug/L	0	01/90 - Quarterly	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/90 - Quarterly	GR - GRAB
					Value NODI						
34376	Fluoranthene	1 - Effluent Gross	0	--	Sample	=	0.168	28 - ug/L	0	01/90 - Quarterly	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/90 - Quarterly	GR - GRAB
					Value NODI						
34376	Fluoranthene	RW - Receiving Water	0	--	Sample	=	0.0	28 - ug/L	0	01/90 - Quarterly	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/90 - Quarterly	GR - GRAB
					Value NODI						
34381	Fluorene	1 - Effluent Gross	0	--	Sample	=	0.137	28 - ug/L	0	01/90 - Quarterly	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/90 - Quarterly	GR - GRAB
					Value NODI						
34381	Fluorene	RW - Receiving Water	0	--	Sample	=	0.0	28 - ug/L	0	01/90 - Quarterly	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/90 - Quarterly	GR - GRAB
					Value NODI						
34403	Indeno[1,2,3-cd]pyrene	1 - Effluent Gross	0	--	Sample	=	0.0	28 - ug/L	0	01/90 - Quarterly	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/90 - Quarterly	GR - GRAB
					Value NODI						
34403	Indeno[1,2,3-cd]pyrene	RW - Receiving Water	0	--	Sample	=	0.0	28 - ug/L	0	01/90 - Quarterly	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/90 - Quarterly	GR - GRAB
					Value NODI						
34461	Phenanthrene	1 - Effluent Gross	0	--	Sample	=	0.116	28 - ug/L	0	01/90 - Quarterly	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/90 - Quarterly	GR - GRAB
					Value NODI						
34461	Phenanthrene	RW - Receiving Water	0	--	Sample	=	0.0	28 - ug/L	0	01/90 - Quarterly	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/90 - Quarterly	GR - GRAB
					Value NODI						
34469	Pyrene	1 - Effluent Gross	0	--	Sample	=	0.126	28 - ug/L	0	01/90 - Quarterly	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/90 - Quarterly	GR - GRAB
					Value NODI						
34469	Pyrene	RW - Receiving Water	0	--	Sample	=	0.0	28 - ug/L	0	01/90 - Quarterly	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/90 - Quarterly	GR - GRAB
					Value NODI						

34521	Benzo[ghi]perylene	1 - Effluent Gross	0	--	Sample	=	0.0	28 - ug/L	0	01/90 - Quarterly	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/90 - Quarterly	GR - GRAB
					Value NODI						
34521	Benzo[ghi]perylene	RW - Receiving Water	0	--	Sample	=	0.0	28 - ug/L	0	01/90 - Quarterly	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/90 - Quarterly	GR - GRAB
					Value NODI						
34526	Benzo[a]anthracene	1 - Effluent Gross	0	--	Sample	=	0.0	28 - ug/L	0	01/90 - Quarterly	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/90 - Quarterly	GR - GRAB
					Value NODI						
34526	Benzo[a]anthracene	RW - Receiving Water	0	--	Sample	=	0.0	28 - ug/L	0	01/90 - Quarterly	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/90 - Quarterly	GR - GRAB
					Value NODI						
34556	Dibenz[a,h]anthracene	1 - Effluent Gross	0	--	Sample	=	0.0	28 - ug/L	0	01/90 - Quarterly	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/90 - Quarterly	GR - GRAB
					Value NODI						
34556	Dibenz[a,h]anthracene	RW - Receiving Water	0	--	Sample	=	0.0	28 - ug/L	0	01/90 - Quarterly	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/90 - Quarterly	GR - GRAB
					Value NODI						
34694	Phenol	1 - Effluent Gross	0	--	Sample	=	0.0	28 - ug/L	0	01/90 - Quarterly	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/90 - Quarterly	GR - GRAB
					Value NODI						
34696	Naphthalene	1 - Effluent Gross	0	--	Sample	=	0.2	28 - ug/L	0	01/90 - Quarterly	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/90 - Quarterly	GR - GRAB
					Value NODI						
34696	Naphthalene	RW - Receiving Water	0	--	Sample	=	0.0	28 - ug/L	0	01/90 - Quarterly	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/90 - Quarterly	GR - GRAB
					Value NODI						
51008	tert-Butyl alcohol [TBA]	1 - Effluent Gross	0	--	Sample	=	33.7	28 - ug/L	0	01/90 - Quarterly	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/90 - Quarterly	GR - GRAB
					Value NODI						
74056	Coliform, total general	1 - Effluent Gross	0	--	Sample	=	0.0	3Z - CFU/100mL	0	01/90 - Quarterly	GR - GRAB
					Permit Req.		Req Mon DAILY MX	3Z - CFU/100mL		01/90 - Quarterly	GR - GRAB
					Value NODI						
81551	Xylene [mix of m+o+p]	1 - Effluent Gross	0	--	Sample	=	0.0	28 - ug/L	0	01/90 - Quarterly	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/90 - Quarterly	GR - GRAB
					Value NODI						
81551	Xylene [mix of m+o+p]	RW - Receiving Water	0	--	Sample	=	0.0	28 - ug/L	0	01/90 - Quarterly	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/90 - Quarterly	GR - GRAB
					Value NODI						

**Submission Note**

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

**Edit Check Errors**

No errors.

**Comments**

Outfall 001 data consists of data collected at Outfall 002 as a commingled discharge from Outfall 002 and Outfall 003 did not occur at the time of sampling. The data is representative of the discharge at Outfall 001.

**Attachments**

Name	Type	Size
MA0003425-002_Lab(FC)_2021_03.pdf	pdf	565150.0
MA0003425-002_Lab(1)_2021_03.pdf	pdf	1209679.0

**Report Last Saved By**

GLOBAL COMPANIES LLC

User: SBARRIENTOS@ROUXINC.COM  
Name: Sara Barrientos  
E-Mail: sbarrientos@rouxinc.com  
Date/Time: 2021-04-13 15:47 (Time Zone: -04:00)

**Report Last Signed By**

User: TKGLOBAL

Name: Tom Keefe  
E-Mail: tkeefe@globalp.com  
Date/Time: 2021-04-14 21:56 (Time Zone: -04:00)

## DMR Copy of Record

<b>Permit</b>																		
Permit #: MA0003425		Permittee: GLOBAL COMPANIES LLC					Facility: GLOBAL PETROLEUM CORP - REVERE											
Major: No		Permittee Address: 800 SOUTH STREET SUITE 500 WALTHAM, MA 02454					Facility Location: 140 LEE BURBANK HIGHWAY REVERE, MA 02151											
Permitted Feature: 001 External Outfall		Discharge: 001-Q QUARTERLY MONITORING FROM OUTFALL 001 (OXYGENATES)																
<b>Report Dates &amp; Status</b>																		
Monitoring Period: From 01/01/21 to 03/31/21		DMR Due Date: 04/15/21					Status: NetDMR Validated											
<b>Considerations for Form Completion</b>																		
<b>Principal Executive Officer</b>																		
First Name: Tom		Title: V.P. Env. H and S					Telephone: 781-398-4132											
Last Name: Keefe																		
<b>No Data Indicator (NODI)</b>																		
Form NODI: --																		
Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type	
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3
22417	Methyl tert-butyl ether [MTBE]	1 - Effluent Gross	0	--	Sample						=	8.4	=	8.4	28 - ug/L	0	01/90 - Quarterly	GR - GRAB
					Permit Req.						<=	20.0 MO AVG		Req Mon DAILY MX	28 - ug/L		01/90 - Quarterly	GR - GRAB
					Value NODI													
77004	Ethanol	1 - Effluent Gross	0	--	Sample						=	0.0		19 - mg/L	0	01/90 - Quarterly	GR - GRAB	
					Permit Req.									Req Mon DAILY MX		19 - mg/L	01/90 - Quarterly	GR - GRAB
					Value NODI													
<b>Submission Note</b>																		
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.																		
<b>Edit Check Errors</b>																		
No errors.																		
<b>Comments</b>																		
Outfall 001 data consists of data collected at Outfall 002 as a commingled discharge from Outfall 002 and Outfall 003 did not occur at the time of sampling. The data is representative of the discharge at Outfall 001.																		
<b>Attachments</b>																		
											Name		Type		Size			
											MA0003425-002_Lab(1)_2021_03.pdf		pdf		1209679.0			
<b>Report Last Saved By</b>																		
GLOBAL COMPANIES LLC																		
User: bcrowley@rouxinc.com		Name: Bryan Crowley					E-Mail: bcrowley@rouxinc.com					Date/Time: 2021-04-13 11:17 (Time Zone: -04:00)						
<b>Report Last Signed By</b>																		
User: TKGLOBAL		Name: Tom Keefe					E-Mail: tkeefe@globalp.com					Date/Time: 2021-04-14 21:56 (Time Zone: -04:00)						

**DISCHARGE MONITORING REPORT (DMR)**

**NAME** Global Companies LLC  
**ADDRESS** 800 South Street Suite 500  
Waltham, MA 02454

MA0003425-001
<b>PERMIT NUMBER</b>

001-T
<b>DISCHARGE NUMBER</b>

**FACILITY LOCATION** 140 Lee Burbank Highway  
Revere, MA 02151

MONITORING PERIOD							
FROM				TO			
YEAR	MO	DAY		YEAR	MO	DAY	
2021	01	01		2021	03	31	

**NOTE: Read instructions before**

PARAMETER	X	QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
00400 - pH 1 - Effluent Gross	SAMPLE						7.00	SU		1/90	GR-Grab
	PERMIT REQUIREMENT										
00400 - pH RW - Receiving Water	SAMPLE						7.96	SU		1/90	GR-Grab
	PERMIT REQUIREMENT										
00480 - Salinity 1 - Effluent Gross	SAMPLE						0.0025	g/g		1/90	GR-Grab
	PERMIT REQUIREMENT										
00480 - Salinity RW - Receiving Water	SAMPLE						0.029	g/g		1/90	GR-Grab
	PERMIT REQUIREMENT										
00500 - Solids, total 1 - Effluent Gross	SAMPLE						2,570	mg/L		1/90	GR-Grab
	PERMIT REQUIREMENT										
00500 - Solids, total RW - Receiving Water	SAMPLE						31,800	mg/L		1/90	GR-Grab
	PERMIT REQUIREMENT										
00530 - Solids, total suspended 1 - Effluent Gross	SAMPLE						76	mg/L		1/90	GR-Grab
	PERMIT REQUIREMENT										

<b>NAME/TITLE PRINCIPAL EXECUTIVE OFFICER</b>  Tom Keefe  TYPED OR PRINTED	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	TELEPHONE		DATE		
		781	398-4132			
		AREA	NUMBER	YEAR	MO	DAY

**COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)**  
Outfall 001 data consists of data collected at Outfall 002 as a commingled discharge from Outfall 002 and Outfall 003 did not occur at the time of sampling. The data is representative of the discharge at Outfall 001.

**DISCHARGE MONITORING REPORT (DMR)**

**NAME** Global Companies LLC  
**ADDRESS** 800 South Street Suite 500  
Waltham, MA 02454

MA0003425-001
<b>PERMIT NUMBER</b>

001-T
<b>DISCHARGE NUMBER</b>

**FACILITY LOCATION** 140 Lee Burbank Highway  
Revere, MA 02151

MONITORING PERIOD						
FROM			TO			
YEAR	MO	DAY	YEAR	MO	DAY	
2021	01	01	2021	03	31	

**NOTE: Read instructions before**

PARAMETER	SAMPLE PERMIT REQUIREMENT	QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
00530 - Solids, total suspended RW - Receiving Water							16.5	mg/L		1/90	GR-Grab
00609 - Ammonia nitrogen, total [as N] 30 day 1 - Effluent Gross							0.52	mg/L		1/90	GR-Grab
00609 - Ammonia nitrogen, total [as N] 30 day RW - Receiving Water							0.19	mg/L		1/90	GR-Grab
00680 - Carbon, tot organic [TOC] 1 - Effluent Gross							3.3	mg/L		1/90	GR-Grab
00680 - Carbon, tot organic [TOC] RW - Receiving Water							1.6	mg/L		1/90	GR-Grab
01027 - Cadmium, total [as Cd] 1 - Effluent Gross							0.2	µg/L		1/90	GR-Grab
01027 - Cadmium, total [as Cd] RW - Receiving Water							0	µg/L		1/90	GR-Grab

<b>NAME/TITLE PRINCIPAL EXECUTIVE OFFICER</b>  Tom Keefe  TYPED OR PRINTED	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	TELEPHONE		DATE		
		781	398-4132			
SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT		AREA	NUMBER	YEAR	MO	DAY

**COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)**  
Outfall 001 data consists of data collected at Outfall 002 as a commingled discharge from Outfall 002 and Outfall 003 did not occur at the time of sampling. The data is representative of the discharge at Outfall 001.

**DISCHARGE MONITORING REPORT (DMR)**

**NAME** Global Companies LLC  
**ADDRESS** 800 South Street Suite 500  
Waltham, MA 02454

MA0003425-001
<b>PERMIT NUMBER</b>

001-T
<b>DISCHARGE NUMBER</b>

**FACILITY LOCATION** 140 Lee Burbank Highway  
Revere, MA 02151

MONITORING PERIOD							
FROM				TO			
YEAR	MO	DAY		YEAR	MO	DAY	
2021	01	01		2021	03	31	

**NOTE: Read instructions before**

PARAMETER	SAMPLE PERMIT REQUIREMENT	QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
01042 - Copper, total [as Cu] 1 - Effluent Gross	SAMPLE						<b>5</b>	µg/L		1/90	GR-Grab
	PERMIT REQUIREMENT										
01042 - Copper, total [as Cu] RW - Receiving Water	SAMPLE						<b>0</b>	µg/L		1/90	GR-Grab
	PERMIT REQUIREMENT										
01051 - Lead, total [as Pb] 1 - Effluent Gross	SAMPLE						<b>1.6</b>	µg/L		1/90	GR-Grab
	PERMIT REQUIREMENT										
01051 - Lead, total [as Pb] RW - Receiving Water	SAMPLE						<b>0</b>	µg/L		1/90	GR-Grab
	PERMIT REQUIREMENT										
01067 - Nickel, total [as Ni] 1 - Effluent Gross	SAMPLE						<b>6.2</b>	µg/L		1/90	GR-Grab
	PERMIT REQUIREMENT										
01067 - Nickel, total [as Ni] RW - Receiving Water	SAMPLE						<b>37</b>	µg/L		1/90	GR-Grab
	PERMIT REQUIREMENT										
01092 - Zinc, total [as Zn] 1 - Effluent Gross	SAMPLE						<b>70</b>	µg/L		1/90	GR-Grab
	PERMIT REQUIREMENT										

<b>NAME/TITLE PRINCIPAL EXECUTIVE OFFICER</b>  Tom Keefe  TYPED OR PRINTED	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	TELEPHONE		DATE		
		781	398-4132			
SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT		AREA	NUMBER	YEAR	MO	DAY

**COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)**

Outfall 001 data consists of data collected at Outfall 002 as a commingled discharge from Outfall 002 and Outfall 003 did not occur at the time of sampling. The data is representative of the discharge at Outfall 001.



**DISCHARGE MONITORING REPORT (DMR)**

**NAME** Global Companies LLC  
**ADDRESS** 800 South Street Suite 500  
Waltham, MA 02454

MA0003425-001
<b>PERMIT NUMBER</b>

001-T
<b>DISCHARGE NUMBER</b>

**FACILITY LOCATION** 140 Lee Burbank Highway  
Revere, MA 02151

MONITORING PERIOD							
FROM				TO			
YEAR	MO	DAY		YEAR	MO	DAY	
2021	01	01		2021	03	31	

**NOTE: Read instructions before**

PARAMETER	SAMPLE PERMIT REQUIREMENT	QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
01092 - Zinc, total [as Zn] RW - Receiving Water	SAMPLE						0	µg/L		1/90	GR-Grab
	PERMIT REQUIREMENT										
50060 - Chlorine, total residual 1 - Effluent Gross	SAMPLE						0.11	mg/L		1/90	GR-Grab
	PERMIT REQUIREMENT										
50060 - Chlorine, total residual RW - Receiving Water	SAMPLE						0	mg/L		1/90	GR-Grab
	PERMIT REQUIREMENT										
TAA3E - LC50 Static 48Hr Acute Mysid. Bahia 1 - Effluent Gross	SAMPLE						> 100%	%		1/90	GR-Grab
	PERMIT REQUIREMENT										
TAA3E - LC50 Static 48Hr Acute Menidia 1 - Effluent Gross	SAMPLE						> 100%	%		1/90	GR-Grab
	PERMIT REQUIREMENT										
	SAMPLE										
	PERMIT REQUIREMENT										
	SAMPLE										
	PERMIT REQUIREMENT										

<b>NAME/TITLE PRINCIPAL EXECUTIVE OFFICER</b>  Tom Keefe  TYPED OR PRINTED	I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.	<b>TELEPHONE</b>		<b>DATE</b>		
		781	398-4132			
<b>SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT</b>		AREA	NUMBER	YEAR	MO	DAY

**COMMENT AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)**

Outfall 001 data consists of data collected at Outfall 002 as a commingled discharge from Outfall 002 and Outfall 003 did not occur at the time of sampling. The data is representative of the discharge at Outfall 001.

DMR Copy of Record

<b>Permit</b>			
Permit #:	MA0003298	Permittee:	GLOBAL COMPANIES, LLC
Major:	No	Permittee Address:	800 South Streete Suite 500 Waltham, MA 02454
Permitted Feature:	001 External Outfall	Discharge:	001-Q QUARTERLY EFFLUENT/RECEIVING POLLUTANT SCAN 001
Facility:	GLOBAL REVCO TERMINAL, LLC		Facility Location:
		186 LEE BURBANK HIGHWAY REVERE, MA 02151	

<b>Report Dates &amp; Status</b>			
Monitoring Period:	From 01/01/21 to 03/31/21	DMR Due Date:	04/15/21
Status:	NetDMR Validated		

**Considerations for Form Completion**

<b>Principal Executive Officer</b>			
First Name:	Tom	Title:	V.P. Env. H and S
Last Name:	Keefe	Telephone:	781-398-4132

No Data Indicator (NODI)  
Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Sample Permit Req. Value NODI	Quantity or Loading					Quality or Concentration			# of Ex.	Frequency of Analysis	Sample Type		
						Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2				Value 2	Qualifier 3
00619	Ammonia, unionized	1 - Effluent Gross	0	--											Req Mon DAILY MX	28 - ug/L	01/90 - Quarterly	GR - GRAB
															9 - Conditional Monitoring - Not Required This Period			
01034	Chromium, total [as Cr]	1 - Effluent Gross	0	--											Req Mon DAILY MX	28 - ug/L	01/90 - Quarterly	GR - GRAB
															9 - Conditional Monitoring - Not Required This Period			
34010	Toluene	1 - Effluent Gross	0	--											Req Mon DAILY MX	28 - ug/L	01/90 - Quarterly	GR - GRAB
															9 - Conditional Monitoring - Not Required This Period			
34010	Toluene	RW - Receiving Water	0	--											Req Mon DAILY MX	28 - ug/L	01/90 - Quarterly	GR - GRAB
															9 - Conditional Monitoring - Not Required This Period			
34030	Benzene	1 - Effluent Gross	0	--											Req Mon DAILY MX	28 - ug/L	01/90 - Quarterly	GR - GRAB
															9 - Conditional Monitoring - Not Required This Period			
34030	Benzene	RW - Receiving Water	0	--											Req Mon DAILY MX	28 - ug/L	01/90 - Quarterly	GR - GRAB
															9 - Conditional Monitoring - Not Required This Period			
34200	Acenaphthylene	1 - Effluent Gross	0	--											Req Mon DAILY MX	28 - ug/L	01/90 - Quarterly	GR - GRAB
															9 - Conditional Monitoring - Not Required This Period			
34200	Acenaphthylene	RW - Receiving Water	0	--											Req Mon DAILY MX	28 - ug/L	01/90 - Quarterly	GR - GRAB
															9 - Conditional Monitoring - Not Required This Period			
34205	Acenaphthene	1 - Effluent Gross	0	--											Req Mon DAILY MX	28 - ug/L	01/90 - Quarterly	GR - GRAB
															9 - Conditional Monitoring - Not Required This Period			
34205	Acenaphthene	RW - Receiving Water	0	--											Req Mon DAILY MX	28 - ug/L	01/90 - Quarterly	GR - GRAB
															9 - Conditional Monitoring - Not Required This Period			
34220	Anthracene	1 - Effluent Gross	0	--											Req Mon DAILY MX	28 - ug/L	01/90 - Quarterly	GR - GRAB
															9 - Conditional Monitoring - Not Required This Period			
34220	Anthracene	RW - Receiving Water	0	--											Req Mon DAILY MX	28 - ug/L	01/90 - Quarterly	GR - GRAB
															9 - Conditional Monitoring - Not Required This Period			
34230	Benzo[b]fluoranthene	1 - Effluent Gross	0	--											Req Mon DAILY MX	28 - ug/L	01/90 - Quarterly	GR - GRAB
															9 - Conditional Monitoring - Not Required This Period			

34230	Benzo[b]fluoranthene	RW - Receiving Water	0	--	Sample Permit Req. Value NODI												Req Mon DAILY MX 9 - Conditional Monitoring - Not Required This Period	28 - ug/L	01/90 - Quarterly	GR - GRAB
34242	Benzo[k]fluoranthene	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI												Req Mon DAILY MX 9 - Conditional Monitoring - Not Required This Period	28 - ug/L	01/90 - Quarterly	GR - GRAB
34242	Benzo[k]fluoranthene	RW - Receiving Water	0	--	Sample Permit Req. Value NODI												Req Mon DAILY MX 9 - Conditional Monitoring - Not Required This Period	28 - ug/L	01/90 - Quarterly	GR - GRAB
34247	Benzo[a]pyrene	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI												Req Mon DAILY MX 9 - Conditional Monitoring - Not Required This Period	28 - ug/L	01/90 - Quarterly	GR - GRAB
34247	Benzo[a]pyrene	RW - Receiving Water	0	--	Sample Permit Req. Value NODI												Req Mon DAILY MX 9 - Conditional Monitoring - Not Required This Period	28 - ug/L	01/90 - Quarterly	GR - GRAB
34320	Chrysene	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI												Req Mon DAILY MX 9 - Conditional Monitoring - Not Required This Period	28 - ug/L	01/90 - Quarterly	GR - GRAB
34320	Chrysene	RW - Receiving Water	0	--	Sample Permit Req. Value NODI												Req Mon DAILY MX 9 - Conditional Monitoring - Not Required This Period	28 - ug/L	01/90 - Quarterly	GR - GRAB
34371	Ethylbenzene	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI												Req Mon DAILY MX 9 - Conditional Monitoring - Not Required This Period	28 - ug/L	01/90 - Quarterly	GR - GRAB
34371	Ethylbenzene	RW - Receiving Water	0	--	Sample Permit Req. Value NODI												Req Mon DAILY MX 9 - Conditional Monitoring - Not Required This Period	28 - ug/L	01/90 - Quarterly	GR - GRAB
34376	Fluoranthene	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI												Req Mon DAILY MX 9 - Conditional Monitoring - Not Required This Period	28 - ug/L	01/90 - Quarterly	GR - GRAB
34376	Fluoranthene	RW - Receiving Water	0	--	Sample Permit Req. Value NODI												Req Mon DAILY MX 9 - Conditional Monitoring - Not Required This Period	28 - ug/L	01/90 - Quarterly	GR - GRAB
34381	Fluorene	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI												Req Mon DAILY MX 9 - Conditional Monitoring - Not Required This Period	28 - ug/L	01/90 - Quarterly	GR - GRAB
34381	Fluorene	RW - Receiving Water	0	--	Sample Permit Req. Value NODI												Req Mon DAILY MX 9 - Conditional Monitoring - Not Required This Period	28 - ug/L	01/90 - Quarterly	GR - GRAB
34403	Indeno[1,2,3-cd]pyrene	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI												Req Mon DAILY MX 9 - Conditional Monitoring - Not Required This Period	28 - ug/L	01/90 - Quarterly	GR - GRAB
34403	Indeno[1,2,3-cd]pyrene	RW - Receiving Water	0	--	Sample Permit Req. Value NODI												Req Mon DAILY MX 9 - Conditional Monitoring - Not Required This Period	28 - ug/L	01/90 - Quarterly	GR - GRAB
34461	Phenanthrene	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI												Req Mon DAILY MX 9 - Conditional Monitoring - Not Required This Period	28 - ug/L	01/90 - Quarterly	GR - GRAB
34461	Phenanthrene	RW - Receiving Water	0	--	Sample Permit Req. Value NODI												Req Mon DAILY MX 9 - Conditional Monitoring - Not Required This Period	28 - ug/L	01/90 - Quarterly	GR - GRAB
34469	Pyrene	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI												Req Mon DAILY MX 9 - Conditional Monitoring - Not Required This Period	28 - ug/L	01/90 - Quarterly	GR - GRAB
34469	Pyrene	RW - Receiving Water	0	--	Sample Permit Req. Value NODI												Req Mon DAILY MX 9 - Conditional Monitoring - Not Required This Period	28 - ug/L	01/90 - Quarterly	GR - GRAB
34521	Benzo[ghi]perylene	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI												Req Mon DAILY MX 9 - Conditional Monitoring - Not Required This Period	28 - ug/L	01/90 - Quarterly	GR - GRAB

34521	Benzo[ghi]perylene	RW - Receiving Water	0	--	Sample Permit Req. Value NODI														Req Mon DAILY MX	28 - ug/L	01/90 - Quarterly	GR - GRAB
																			9 - Conditional Monitoring - Not Required This Period			
34526	Benzo[a]anthracene	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI														Req Mon DAILY MX	28 - ug/L	01/90 - Quarterly	GR - GRAB
																			9 - Conditional Monitoring - Not Required This Period			
34526	Benzo[a]anthracene	RW - Receiving Water	0	--	Sample Permit Req. Value NODI														Req Mon DAILY MX	28 - ug/L	01/90 - Quarterly	GR - GRAB
																			9 - Conditional Monitoring - Not Required This Period			
34556	Dibenz[a,h]anthracene	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI														Req Mon DAILY MX	28 - ug/L	01/90 - Quarterly	GR - GRAB
																			9 - Conditional Monitoring - Not Required This Period			
34556	Dibenz[a,h]anthracene	RW - Receiving Water	0	--	Sample Permit Req. Value NODI														Req Mon DAILY MX	28 - ug/L	01/90 - Quarterly	GR - GRAB
																			9 - Conditional Monitoring - Not Required This Period			
34694	Phenol	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI														Req Mon DAILY MX	28 - ug/L	01/90 - Quarterly	GR - GRAB
																			9 - Conditional Monitoring - Not Required This Period			
34696	Naphthalene	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI														Req Mon DAILY MX	28 - ug/L	01/90 - Quarterly	GR - GRAB
																			9 - Conditional Monitoring - Not Required This Period			
34696	Naphthalene	RW - Receiving Water	0	--	Sample Permit Req. Value NODI														Req Mon DAILY MX	28 - ug/L	01/90 - Quarterly	GR - GRAB
																			9 - Conditional Monitoring - Not Required This Period			
51008	tert-Butyl alcohol [TBA]	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI														Req Mon DAILY MX	28 - ug/L	01/90 - Quarterly	GR - GRAB
																			9 - Conditional Monitoring - Not Required This Period			
74056	Coliform, total general	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI														Req Mon DAILY MX	3Z - CFU/100mL	01/90 - Quarterly	GR - GRAB
																			9 - Conditional Monitoring - Not Required This Period			
81551	Xylene [mix of m+o+p]	1 - Effluent Gross	0	--	Sample Permit Req. Value NODI														Req Mon DAILY MX	28 - ug/L	01/90 - Quarterly	GR - GRAB
																			9 - Conditional Monitoring - Not Required This Period			
81551	Xylene [mix of m+o+p]	RW - Receiving Water	0	--	Sample Permit Req. Value NODI														Req Mon DAILY MX	28 - ug/L	01/90 - Quarterly	GR - GRAB
																			9 - Conditional Monitoring - Not Required This Period			

**Submission Note**

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

**Edit Check Errors**

No errors.

**Comments**

In accordance with NPDES Permit MA0003298, Pollutant Scan is required once per year, in April.

**Attachments**

No attachments.

**Report Last Saved By**

**GLOBAL COMPANIES, LLC**

User: bcrowley@rouxinc.com  
 Name: Bryan Crowley  
 E-Mail: bcrowley@rouxinc.com  
 Date/Time: 2021-04-13 11:04 (Time Zone: -04:00)

**Report Last Signed By**

User: TKGLOBAL  
 Name: Tom Keefe  
 E-Mail: tkeefe@globalp.com  
 Date/Time: 2021-04-14 21:56 (Time Zone: -04:00)

## DMR Copy of Record

### Permit

Permit #:	MA0003298	Permittee:	GLOBAL COMPANIES, LLC	Facility:	GLOBAL REVCO TERMINAL, LLC
Major:	No	Permittee Address:	800 South Streete Suite 500 Waltham, MA 02454	Facility Location:	186 LEE BURBANK HIGHWAY REVERE, MA 02151
Permitted Feature:	001 External Outfall	Discharge:	001-M QUARTERLY METHYL TERT-BUTYL ETHER (MBTE) OUTFALL 001		

### Report Dates & Status

Monitoring Period:	From 01/01/21 to 03/31/21	DMR Due Date:	04/15/21	Status:	NetDMR Validated
--------------------	---------------------------	---------------	----------	---------	------------------

### Considerations for Form Completion

### Principal Executive Officer

First Name:	Tom	Title:	V.P. Env. H and S	Telephone:	781-398-4132
Last Name:	Keefe				

### No Data Indicator (NODI)

Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Sample Permit Req.	Quantity or Loading			Quality or Concentration			# of Ex.	Frequency of Analysis	Sample Type		
						Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1				Value 1	Qualifier 2
22417	Methyl tert-butyl ether [MTBE]	1 - Effluent Gross	0	--							=	0.0	28 - ug/L	0	01/90 - Quarterly	GR - GRAB
															01/90 - Quarterly	GR - GRAB

### Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

### Edit Check Errors

No errors.

### Comments

### Attachments

Name	Type	Size
MA0003298-001_Lab(1)_2021_03.pdf	pdf	1042419.0

### Report Last Saved By

GLOBAL COMPANIES, LLC

User:	bcrowley@rouxinc.com
Name:	Bryan Crowley
E-Mail:	bcrowley@rouxinc.com
Date/Time:	2021-04-13 11:04 (Time Zone: -04:00)

### Report Last Signed By

User:	TKGLOBAL
Name:	Tom Keefe
E-Mail:	tkeefe@globalp.com
Date/Time:	2021-04-14 21:56 (Time Zone: -04:00)

## DMR Copy of Record

Permit																								
Permit #:		MA0003298		Permittee:						GLOBAL COMPANIES, LLC						Facility:		GLOBAL REVCO TERMINAL, LLC						
Major:		No		Permittee Address:						800 South Streete Suite 500 Waltham, MA 02454						Facility Location:		186 LEE BURBANK HIGHWAY REVERE, MA 02151						
Permitted Feature:		005 External Outfall		Discharge:						005-M QUARTERLY METHYL TERT-BUTYL ETHER MONITORING OUTFALL 005														
Report Dates & Status																								
Monitoring Period:				From 01/01/21 to 03/31/21				DMR Due Date:						04/15/21						Status:		NetDMR Validated		
Considerations for Form Completion																								
Principal Executive Officer																								
First Name:		Tom		Title:						V.P. Env. H and S						Telephone:		781-398-4132						
Last Name:		Keefe																						
No Data Indicator (NODI)																								
Form NODI:		--																						
Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type							
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units								
22417	Methyl tert-butyl ether [MTBE]	GW - Groundwater	0	--	Sample					=	0.0			=	0.0	28 - ug/L	0	01/90 - Quarterly	GR - GRAB					
					Permit Req.					<=	20.0 MO AVG				Req Mon DAILY MX	28 - ug/L		01/90 - Quarterly	GR - GRAB					
					Value NODI																			
Submission Note																								
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.																								
Edit Check Errors																								
No errors.																								
Comments																								
Attachments																								
Name												Type			Size									
MA0003298-005_Lab(1)_2021_03.pdf												pdf			1056475.0									
Report Last Saved By																								
GLOBAL COMPANIES, LLC																								
User:		bcrowley@rouxinc.com																						
Name:		Bryan Crowley																						
E-Mail:		bcrowley@rouxinc.com																						
Date/Time:		2021-04-13 11:06 (Time Zone: -04:00)																						
Report Last Signed By																								
User:		TKGLOBAL																						
Name:		Tom Keefe																						
E-Mail:		tkeefe@globalp.com																						
Date/Time:		2021-04-14 21:56 (Time Zone: -04:00)																						

## DMR Copy of Record

Permit																			
Permit #:	MA0000825			Permittee:	GLOBAL COMPANIES LLC						Facility:	GLOBAL SOUTH TERMINAL							
Major:	No			Permittee Address:	800 SOUTH STREET SUITE 500 WALTHAM, MA 02454						Facility Location:	96 LEE BURBANK HIGHWAY REVERE, MA 02150							
Permitted Feature:	001 External Outfall			Discharge:	001-O QUARTERLY OXYGENATES FROM OUTFALL 001														
Report Dates & Status																			
Monitoring Period:	From 01/01/21 to 03/31/21			DMR Due Date:	04/15/21						Status:	NetDMR Validated							
Considerations for Form Completion																			
Principal Executive Officer																			
First Name:	Tom			Title:	VP Env. H and S						Telephone:	781-398-4132							
Last Name:	Keefe																		
No Data Indicator (NODI)																			
Form NODI:	--																		
Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type		
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units			
22417	Methyl tert-butyl ether [MTBE]	1 - Effluent Gross	0	--											= 0.0	28 - ug/L	0	01/90 - Quarterly	GR - GRAB
					Sample														
					Permit Req.														
					Value NODI														
77004	Ethanol	1 - Effluent Gross	0	--											= 0.0	28 - ug/L	0	01/90 - Quarterly	GR - GRAB
					Sample														
					Permit Req.														
					Value NODI														
Submission Note																			
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.																			
Edit Check Errors																			
No errors.																			
Comments																			
Attachments																			
Name										Type				Size					
MA0000825_Lab(1)_2021_03.pdf										pdf				1042045.0					
Report Last Saved By																			
GLOBAL COMPANIES LLC																			
User:	bcrowley@rouxinc.com																		
Name:	Bryan Crowley																		
E-Mail:	bcrowley@rouxinc.com																		
Date/Time:	2021-04-13 10:58 (Time Zone: -04:00)																		
Report Last Signed By																			
User:	SCHARRON@GLOBALP.COM																		
Name:	Steven Charron																		
E-Mail:	scharron@globalp.com																		
Date/Time:	2021-04-14 17:11 (Time Zone: -04:00)																		