

DMR Copy of Record

Permit					
Permit #:	MA0003298	Permittee:	GLOBAL COMPANIES, LLC	Facility:	GLOBAL REVCO TERMINAL, LLC
Major:	No	Permittee Address:	800 South Streete Suite 500 Waltham, MA 02454	Facility Location:	186 LEE BURBANK HIGHWAY REVERE, MA 02151
Permitted Feature:	001 External Outfall	Discharge:	001-Y YEARLY MONITORING EFFLUENT/INFLUENT POLLUTANT SCAN REPLACES 001Q		

Report Dates & Status					
Monitoring Period:	From 04/01/20 to 04/30/20	DMR Due Date:	05/15/20	Status:	NetDMR Validated

Considerations for Form Completion

Principal Executive Officer					
First Name:	Tom	Title:	VP Env. H and S	Telephone:	781-398-4132
Last Name:	Keefe				

No Data Indicator (NODI)
Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3			
00619	Ammonia, unionized	1 - Effluent Gross	0	--	Sample						=	4.719		28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.							Req Mon DAILY MX	28 - ug/L	01/YR - Annual		GR - GRAB	
					Value NODI												
01034	Chromium, total [as Cr]	1 - Effluent Gross	0	--	Sample						=	2.0		28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.							Req Mon DAILY MX	28 - ug/L	01/YR - Annual		GR - GRAB	
					Value NODI												
34010	Toluene	1 - Effluent Gross	0	--	Sample						=	0.0		28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.							Req Mon DAILY MX	28 - ug/L	01/YR - Annual		GR - GRAB	
					Value NODI												
34010	Toluene	RW - Receiving Water	0	--	Sample						=	0.0		28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.							Req Mon DAILY MX	28 - ug/L	01/YR - Annual		GR - GRAB	
					Value NODI												
34030	Benzene	1 - Effluent Gross	0	--	Sample						=	0.0		28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.							Req Mon DAILY MX	28 - ug/L	01/YR - Annual		GR - GRAB	
					Value NODI												
34030	Benzene	RW - Receiving Water	0	--	Sample						=	0.0		28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.							Req Mon DAILY MX	28 - ug/L	01/YR - Annual		GR - GRAB	
					Value NODI												
34200	Acenaphthylene	1 - Effluent Gross	0	--	Sample						=	0.0		28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.							Req Mon DAILY MX	28 - ug/L	01/YR - Annual		GR - GRAB	
					Value NODI												
34200	Acenaphthylene	RW - Receiving Water	0	--	Sample						=	0.0		28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.							Req Mon DAILY MX	28 - ug/L	01/YR - Annual		GR - GRAB	
					Value NODI												
34205	Acenaphthene	1 - Effluent Gross	0	--	Sample						=	0.0		28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.							Req Mon DAILY MX	28 - ug/L	01/YR - Annual		GR - GRAB	
					Value NODI												
34205	Acenaphthene	RW - Receiving Water	0	--	Sample						=	0.0		28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.							Req Mon DAILY MX	28 - ug/L	01/YR - Annual		GR - GRAB	
					Value NODI												
34220	Anthracene	1 - Effluent Gross	0	--	Sample						=	0.0		28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.							Req Mon DAILY MX	28 - ug/L	01/YR - Annual		GR - GRAB	
					Value NODI												
34220	Anthracene	RW - Receiving Water	0	--	Sample						=	0.0		28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.							Req Mon DAILY MX	28 - ug/L	01/YR - Annual		GR - GRAB	
					Value NODI												
34230	Benzo[b]fluoranthene	1 - Effluent Gross	0	--	Sample						=	0.0		28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.							Req Mon DAILY MX	28 - ug/L	01/YR - Annual		GR - GRAB	
					Value NODI												

34230	Benzo[b]fluoranthene	RW - Receiving Water	0	--	Sample	=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/YR - Annual	GR - GRAB
					Value NODI						
34242	Benzo[k]fluoranthene	1 - Effluent Gross	0	--	Sample	=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/YR - Annual	GR - GRAB
					Value NODI						
34242	Benzo[k]fluoranthene	RW - Receiving Water	0	--	Sample	=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/YR - Annual	GR - GRAB
					Value NODI						
34247	Benzo[a]pyrene	1 - Effluent Gross	0	--	Sample	=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/YR - Annual	GR - GRAB
					Value NODI						
34247	Benzo[a]pyrene	RW - Receiving Water	0	--	Sample	=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/YR - Annual	GR - GRAB
					Value NODI						
34320	Chrysene	1 - Effluent Gross	0	--	Sample	=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/YR - Annual	GR - GRAB
					Value NODI						
34320	Chrysene	RW - Receiving Water	0	--	Sample	=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/YR - Annual	GR - GRAB
					Value NODI						
34371	Ethylbenzene	1 - Effluent Gross	0	--	Sample	=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/YR - Annual	GR - GRAB
					Value NODI						
34371	Ethylbenzene	RW - Receiving Water	0	--	Sample	=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/YR - Annual	GR - GRAB
					Value NODI						
34376	Fluoranthene	1 - Effluent Gross	0	--	Sample	=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/YR - Annual	GR - GRAB
					Value NODI						
34376	Fluoranthene	RW - Receiving Water	0	--	Sample	=	0.087	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/YR - Annual	GR - GRAB
					Value NODI						
34381	Fluorene	1 - Effluent Gross	0	--	Sample	=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/YR - Annual	GR - GRAB
					Value NODI						
34381	Fluorene	RW - Receiving Water	0	--	Sample	=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/YR - Annual	GR - GRAB
					Value NODI						
34403	Indeno[1,2,3-cd]pyrene	1 - Effluent Gross	0	--	Sample	=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/YR - Annual	GR - GRAB
					Value NODI						
34403	Indeno[1,2,3-cd]pyrene	RW - Receiving Water	0	--	Sample	=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/YR - Annual	GR - GRAB
					Value NODI						
34461	Phenanthrene	1 - Effluent Gross	0	--	Sample	=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/YR - Annual	GR - GRAB
					Value NODI						
34461	Phenanthrene	RW - Receiving Water	0	--	Sample	=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/YR - Annual	GR - GRAB
					Value NODI						
34469	Pyrene	1 - Effluent Gross	0	--	Sample	=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/YR - Annual	GR - GRAB
					Value NODI						
34469	Pyrene	RW - Receiving Water	0	--	Sample	=	0.054	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/YR - Annual	GR - GRAB
					Value NODI						
34521	Benzo[ghi]perylene	1 - Effluent Gross	0	--	Sample	=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/YR - Annual	GR - GRAB
					Value NODI						

34521	Benzo[ghi]perylene	RW - Receiving Water	0	--	Sample	=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/YR - Annual	GR - GRAB
					Value NODI						
34526	Benzo[a]anthracene	1 - Effluent Gross	0	--	Sample	=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/YR - Annual	GR - GRAB
					Value NODI						
34526	Benzo[a]anthracene	RW - Receiving Water	0	--	Sample	=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/YR - Annual	GR - GRAB
					Value NODI						
34556	Dibenz[a,h]anthracene	1 - Effluent Gross	0	--	Sample	=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/YR - Annual	GR - GRAB
					Value NODI						
34556	Dibenz[a,h]anthracene	RW - Receiving Water	0	--	Sample	=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/YR - Annual	GR - GRAB
					Value NODI						
34694	Phenol	1 - Effluent Gross	0	--	Sample	=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/YR - Annual	GR - GRAB
					Value NODI						
34696	Naphthalene	1 - Effluent Gross	0	--	Sample	=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/YR - Annual	GR - GRAB
					Value NODI						
34696	Naphthalene	RW - Receiving Water	0	--	Sample	=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/YR - Annual	GR - GRAB
					Value NODI						
51008	tert-Butyl alcohol [TBA]	1 - Effluent Gross	0	--	Sample	=	45.4	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/YR - Annual	GR - GRAB
					Value NODI						
74056	Coliform, total general	1 - Effluent Gross	0	--	Sample	=	350.0	3Z - CFU/100mL	0	01/YR - Annual	GR - GRAB
					Permit Req.		Req Mon DAILY MX	3Z - CFU/100mL		01/YR - Annual	GR - GRAB
					Value NODI						
81551	Xylene [mix of m+o+p]	1 - Effluent Gross	0	--	Sample	=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/YR - Annual	GR - GRAB
					Value NODI						
81551	Xylene [mix of m+o+p]	RW - Receiving Water	0	--	Sample	=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/YR - Annual	GR - GRAB
					Value NODI						

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

Name	Type	Size
Revere_fecal_coliform.pdf	pdf	571163.0
MA0003298-001_Lab(1)_2020_04.pdf	pdf	1173500.0

Report Last Saved By

GLOBAL COMPANIES, LLC

User: bcrowley@rouxinc.com
Name: Bryan Crowley
E-Mail: bcrowley@rouxinc.com
Date/Time: 2020-05-12 09:13 (Time Zone: -04:00)

Report Last Signed By

User: SCHARRON@GLOBALP.COM
Name: Steven Charron
E-Mail: scharron@globalp.com
Date/Time: 2020-05-13 18:11 (Time Zone: -04:00)



34230	Benzo[b]fluoranthene	RW - Receiving Water	0	--	Sample	=	0.0	28 - ug/L	01/YR - Annual	GR - GRAB	
					Permit Req.		Req Mon DAILY MX	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Value NODI						
34242	Benzo[k]fluoranthene	1 - Effluent Gross	0	--	Sample	=	0.0	28 - ug/L	01/YR - Annual	GR - GRAB	
					Permit Req.		Req Mon DAILY MX	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Value NODI						
34242	Benzo[k]fluoranthene	RW - Receiving Water	0	--	Sample	=	0.0	28 - ug/L	01/YR - Annual	GR - GRAB	
					Permit Req.		Req Mon DAILY MX	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Value NODI						
34247	Benzo[a]pyrene	1 - Effluent Gross	0	--	Sample	=	0.0	28 - ug/L	01/YR - Annual	GR - GRAB	
					Permit Req.		Req Mon DAILY MX	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Value NODI						
34247	Benzo[a]pyrene	RW - Receiving Water	0	--	Sample	=	0.0	28 - ug/L	01/YR - Annual	GR - GRAB	
					Permit Req.		Req Mon DAILY MX	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Value NODI						
34320	Chrysene	1 - Effluent Gross	0	--	Sample	=	0.0	28 - ug/L	01/YR - Annual	GR - GRAB	
					Permit Req.		Req Mon DAILY MX	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Value NODI						
34320	Chrysene	RW - Receiving Water	0	--	Sample	=	0.0	28 - ug/L	01/YR - Annual	GR - GRAB	
					Permit Req.		Req Mon DAILY MX	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Value NODI						
34371	Ethylbenzene	1 - Effluent Gross	0	--	Sample	=	0.0	28 - ug/L	01/YR - Annual	GR - GRAB	
					Permit Req.		Req Mon DAILY MX	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Value NODI						
34371	Ethylbenzene	RW - Receiving Water	0	--	Sample	=	0.0	28 - ug/L	01/YR - Annual	GR - GRAB	
					Permit Req.		Req Mon DAILY MX	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Value NODI						
34376	Fluoranthene	1 - Effluent Gross	0	--	Sample	=	0.0	28 - ug/L	01/YR - Annual	GR - GRAB	
					Permit Req.		Req Mon DAILY MX	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Value NODI						
34376	Fluoranthene	RW - Receiving Water	0	--	Sample	=	0.0	28 - ug/L	01/YR - Annual	GR - GRAB	
					Permit Req.		Req Mon DAILY MX	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Value NODI						
34381	Fluorene	1 - Effluent Gross	0	--	Sample	=	0.0	28 - ug/L	01/YR - Annual	GR - GRAB	
					Permit Req.		Req Mon DAILY MX	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Value NODI						
34381	Fluorene	RW - Receiving Water	0	--	Sample	=	0.0	28 - ug/L	01/YR - Annual	GR - GRAB	
					Permit Req.		Req Mon DAILY MX	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Value NODI						
34403	Indeno[1,2,3-cd]pyrene	1 - Effluent Gross	0	--	Sample	=	0.0	28 - ug/L	01/YR - Annual	GR - GRAB	
					Permit Req.		Req Mon DAILY MX	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Value NODI						
34403	Indeno[1,2,3-cd]pyrene	RW - Receiving Water	0	--	Sample	=	0.0	28 - ug/L	01/YR - Annual	GR - GRAB	
					Permit Req.		Req Mon DAILY MX	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Value NODI						
34461	Phenanthrene	1 - Effluent Gross	0	--	Sample	=	0.0	28 - ug/L	01/YR - Annual	GR - GRAB	
					Permit Req.		Req Mon DAILY MX	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Value NODI						
34461	Phenanthrene	RW - Receiving Water	0	--	Sample	=	0.0	28 - ug/L	01/YR - Annual	GR - GRAB	
					Permit Req.		Req Mon DAILY MX	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Value NODI						
34469	Pyrene	1 - Effluent Gross	0	--	Sample	=	0.0	28 - ug/L	01/YR - Annual	GR - GRAB	
					Permit Req.		Req Mon DAILY MX	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Value NODI						
34469	Pyrene	RW - Receiving Water	0	--	Sample	=	0.0	28 - ug/L	01/YR - Annual	GR - GRAB	
					Permit Req.		Req Mon DAILY MX	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Value NODI						
34521	Benzo[ghi]perylene	1 - Effluent Gross	0	--	Sample	=	0.0	28 - ug/L	01/YR - Annual	GR - GRAB	
					Permit Req.		Req Mon DAILY MX	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Value NODI						

34521	Benzo[ghi]perylene	RW - Receiving Water	0	--	Sample	=	0.0	28 - ug/L	01/YR - Annual	GR - GRAB	
					Permit Req.		Req Mon DAILY MX	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Value NODI						
34526	Benzo[a]anthracene	1 - Effluent Gross	0	--	Sample	=	0.0	28 - ug/L	01/YR - Annual	GR - GRAB	
					Permit Req.		Req Mon DAILY MX	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Value NODI						
34526	Benzo[a]anthracene	RW - Receiving Water	0	--	Sample	=	0.0	28 - ug/L	01/YR - Annual	GR - GRAB	
					Permit Req.		Req Mon DAILY MX	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Value NODI						
34556	Dibenz[a,h]anthracene	1 - Effluent Gross	0	--	Sample	=	0.0	28 - ug/L	01/YR - Annual	GR - GRAB	
					Permit Req.		Req Mon DAILY MX	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Value NODI						
34556	Dibenz[a,h]anthracene	RW - Receiving Water	0	--	Sample	=	0.0	28 - ug/L	01/YR - Annual	GR - GRAB	
					Permit Req.		Req Mon DAILY MX	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Value NODI						
34694	Phenol	1 - Effluent Gross	0	--	Sample	=	0.0	28 - ug/L	01/YR - Annual	GR - GRAB	
					Permit Req.		Req Mon DAILY MX	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Value NODI						
34696	Naphthalene	1 - Effluent Gross	0	--	Sample	=	0.0	28 - ug/L	01/YR - Annual	GR - GRAB	
					Permit Req.		Req Mon DAILY MX	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Value NODI						
34696	Naphthalene	RW - Receiving Water	0	--	Sample	=	0.0	28 - ug/L	01/YR - Annual	GR - GRAB	
					Permit Req.		Req Mon DAILY MX	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Value NODI						
81551	Xylene [mix of m+o+p]	1 - Effluent Gross	0	--	Sample	=	0.0	28 - ug/L	01/YR - Annual	GR - GRAB	
					Permit Req.		Req Mon DAILY MX	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Value NODI						
81551	Xylene [mix of m+o+p]	RW - Receiving Water	0	--	Sample	=	0.0	28 - ug/L	01/YR - Annual	GR - GRAB	
					Permit Req.		Req Mon DAILY MX	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Value NODI						

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

Name	Type	Size
MA0003298-005_Lab(1)_2020_04.pdf	pdf	1186657.0

Report Last Saved By

GLOBAL COMPANIES, LLC

User: bcrowley@rouxinc.com
 Name: Bryan Crowley
 E-Mail: bcrowley@rouxinc.com
 Date/Time: 2020-05-12 09:14 (Time Zone: -04:00)

Report Last Signed By

User: SCHARRON@GLOBALP.COM
 Name: Steven Charron
 E-Mail: scharron@globalp.com
 Date/Time: 2020-05-13 18:11 (Time Zone: -04:00)

DMR Copy of Record

Permit			
Permit #:	MA0000825	Permittee:	GLOBAL COMPANIES LLC
Major:	No	Permittee Address:	800 SOUTH STREET SUITE 500 WALTHAM, MA 02454
Permitted Feature:	001 External Outfall	Discharge:	001-Y YEARLY EFFLUENT/RECEIVING WATER POLLUTANT SCAN REPLACES 001Q
		Facility:	GLOBAL SOUTH TERMINAL
		Facility Location:	96 LEE BURBANK HIGHWAY REVERE, MA 02150

Report Dates & Status			
Monitoring Period:	From 04/01/20 to 04/30/20	DMR Due Date:	05/15/20
		Status:	NetDMR Validated

Considerations for Form Completion

Principal Executive Officer			
First Name:	Tom	Title:	VP Env. H and S
Last Name:	Keefe	Telephone:	781-398-4132

No Data Indicator (NODI)
Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3			
00619	Ammonia, unionized	1 - Effluent Gross	0	--	Sample						=	0.0008961	19 - mg/L	0	01/YR - Annual	GR - GRAB	
					Permit Req.						Req Mon DAILY MX	19 - mg/L					
					Value NODI												
01034	Chromium, total [as Cr]	1 - Effluent Gross	0	--	Sample						=	3.0	28 - ug/L	0	01/YR - Annual	GR - GRAB	
					Permit Req.						Req Mon DAILY MX	28 - ug/L					
					Value NODI												
01046	Iron, dissolved [as Fe]	1 - Effluent Gross	0	--	Sample						=	825.0	28 - ug/L	0	01/YR - Annual	GR - GRAB	
					Permit Req.						Req Mon DAILY MX	28 - ug/L					
					Value NODI												
34010	Toluene	1 - Effluent Gross	0	--	Sample						=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB	
					Permit Req.						Req Mon DAILY MX	28 - ug/L					
					Value NODI												
34010	Toluene	RW - Receiving Water	0	--	Sample						=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB	
					Permit Req.						Req Mon DAILY MX	28 - ug/L					
					Value NODI												
34030	Benzene	1 - Effluent Gross	0	--	Sample						=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB	
					Permit Req.						Req Mon DAILY MX	28 - ug/L					
					Value NODI												
34030	Benzene	RW - Receiving Water	0	--	Sample						=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB	
					Permit Req.						Req Mon DAILY MX	28 - ug/L					
					Value NODI												
34200	Acenaphthylene	1 - Effluent Gross	0	--	Sample						=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB	
					Permit Req.						Req Mon DAILY MX	28 - ug/L					
					Value NODI												
34200	Acenaphthylene	RW - Receiving Water	0	--	Sample						=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB	
					Permit Req.						Req Mon DAILY MX	28 - ug/L					
					Value NODI												
34205	Acenaphthene	1 - Effluent Gross	0	--	Sample						=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB	
					Permit Req.						Req Mon DAILY MX	28 - ug/L					
					Value NODI												
34205	Acenaphthene	RW - Receiving Water	0	--	Sample						=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB	
					Permit Req.						Req Mon DAILY MX	28 - ug/L					
					Value NODI												
34220	Anthracene	1 - Effluent Gross	0	--	Sample						=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB	
					Permit Req.						Req Mon DAILY MX	28 - ug/L					
					Value NODI												
34220	Anthracene	RW - Receiving Water	0	--	Sample						=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB	
					Permit Req.						Req Mon DAILY MX	28 - ug/L					
					Value NODI												

34230	Benzo[b]fluoranthene	1 - Effluent Gross	0	--	Sample	=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/YR - Annual	GR - GRAB
					Value NODI						
34230	Benzo[b]fluoranthene	RW - Receiving Water	0	--	Sample	=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/YR - Annual	GR - GRAB
					Value NODI						
34242	Benzo[k]fluoranthene	1 - Effluent Gross	0	--	Sample	=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/YR - Annual	GR - GRAB
					Value NODI						
34242	Benzo[k]fluoranthene	RW - Receiving Water	0	--	Sample	=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/YR - Annual	GR - GRAB
					Value NODI						
34247	Benzo[a]pyrene	1 - Effluent Gross	0	--	Sample	=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/YR - Annual	GR - GRAB
					Value NODI						
34247	Benzo[a]pyrene	RW - Receiving Water	0	--	Sample	=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/YR - Annual	GR - GRAB
					Value NODI						
34320	Chrysene	1 - Effluent Gross	0	--	Sample	=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/YR - Annual	GR - GRAB
					Value NODI						
34320	Chrysene	RW - Receiving Water	0	--	Sample	=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/YR - Annual	GR - GRAB
					Value NODI						
34371	Ethylbenzene	1 - Effluent Gross	0	--	Sample	=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/YR - Annual	GR - GRAB
					Value NODI						
34371	Ethylbenzene	RW - Receiving Water	0	--	Sample	=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/YR - Annual	GR - GRAB
					Value NODI						
34376	Fluoranthene	1 - Effluent Gross	0	--	Sample	=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/YR - Annual	GR - GRAB
					Value NODI						
34376	Fluoranthene	RW - Receiving Water	0	--	Sample	=	0.051	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/YR - Annual	GR - GRAB
					Value NODI						
34381	Fluorene	1 - Effluent Gross	0	--	Sample	=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/YR - Annual	GR - GRAB
					Value NODI						
34381	Fluorene	RW - Receiving Water	0	--	Sample	=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/YR - Annual	GR - GRAB
					Value NODI						
34403	Indeno[1,2,3-cd]pyrene	1 - Effluent Gross	0	--	Sample	=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/YR - Annual	GR - GRAB
					Value NODI						
34403	Indeno[1,2,3-cd]pyrene	RW - Receiving Water	0	--	Sample	=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/YR - Annual	GR - GRAB
					Value NODI						
34461	Phenanthrene	1 - Effluent Gross	0	--	Sample	=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/YR - Annual	GR - GRAB
					Value NODI						
34461	Phenanthrene	RW - Receiving Water	0	--	Sample	=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/YR - Annual	GR - GRAB
					Value NODI						
34469	Pyrene	1 - Effluent Gross	0	--	Sample	=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/YR - Annual	GR - GRAB
					Value NODI						
34469	Pyrene	RW - Receiving Water	0	--	Sample	=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/YR - Annual	GR - GRAB
					Value NODI						

34521	Benzo[ghi]perylene	1 - Effluent Gross	0	--	Sample	=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/YR - Annual	GR - GRAB
					Value NODI						
34521	Benzo[ghi]perylene	RW - Receiving Water	0	--	Sample	=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/YR - Annual	GR - GRAB
					Value NODI						
34526	Benzo[a]anthracene	1 - Effluent Gross	0	--	Sample	=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/YR - Annual	GR - GRAB
					Value NODI						
34526	Benzo[a]anthracene	RW - Receiving Water	0	--	Sample	=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/YR - Annual	GR - GRAB
					Value NODI						
34556	Dibenz[a,h]anthracene	1 - Effluent Gross	0	--	Sample	=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/YR - Annual	GR - GRAB
					Value NODI						
34556	Dibenz[a,h]anthracene	RW - Receiving Water	0	--	Sample	=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/YR - Annual	GR - GRAB
					Value NODI						
34694	Phenol	1 - Effluent Gross	0	--	Sample	=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/YR - Annual	GR - GRAB
					Value NODI						
34696	Naphthalene	1 - Effluent Gross	0	--	Sample	=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/YR - Annual	GR - GRAB
					Value NODI						
34696	Naphthalene	RW - Receiving Water	0	--	Sample	=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/YR - Annual	GR - GRAB
					Value NODI						
51008	tert-Butyl alcohol [TBA]	1 - Effluent Gross	0	--	Sample	=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/YR - Annual	GR - GRAB
					Value NODI						
74056	Coliform, total general	1 - Effluent Gross	0	--	Sample	=	8.0	3Z - CFU/100mL	0	01/YR - Annual	GR - GRAB
					Permit Req.		Req Mon DAILY MX	3Z - CFU/100mL		01/YR - Annual	GR - GRAB
					Value NODI						
81551	Xylene [mix of m+o+p]	1 - Effluent Gross	0	--	Sample	=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/YR - Annual	GR - GRAB
					Value NODI						
81551	Xylene [mix of m+o+p]	RW - Receiving Water	0	--	Sample	=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/YR - Annual	GR - GRAB
					Value NODI						

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

Name	Type	Size
Revere_fecal_coliform.pdf	pdf	571163.0
MA0000825_Lab(1)_2020_04.pdf	pdf	1179977.0

Report Last Saved By

GLOBAL COMPANIES LLC

User: bcrowley@rouxinc.com
Name: Bryan Crowley
E-Mail: bcrowley@rouxinc.com
Date/Time: 2020-05-14 07:56 (Time Zone: -04:00)

Report Last Signed By

User: SCHARRON@GLOBALP.COM

Name: Steven Charron
E-Mail: scharron@globalp.com
Date/Time: 2020-05-14 13:50 (Time Zone: -04:00)

DMR Copy of Record

Permit					
Permit #:	MA0003425	Permittee:	GLOBAL COMPANIES LLC	Facility:	GLOBAL PETROLEUM CORP - REVERE
Major:	No	Permittee Address:	800 SOUTH STREET SUITE 500 WALTHAM, MA 02454	Facility Location:	140 LEE BURBANK HIGHWAY REVERE, MA 02151
Permitted Feature:	001 External Outfall	Discharge:	001-Y YEARLY EFFLUENT/RECEIVING H2O POLUTANT SCAN REPLACES 001P		

Report Dates & Status					
Monitoring Period:	From 04/01/20 to 04/30/20	DMR Due Date:	05/15/20	Status:	NetDMR Validated

Considerations for Form Completion

Principal Executive Officer					
First Name:	Tom	Title:	VP Env. H and S	Telephone:	781-398-4132
Last Name:	Keefe				

No Data Indicator (NODI)
Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3			
00619	Ammonia, unionized	EG - Effluent Gross	0	--	Sample						=	0.0014331	19 - mg/L		0	01/YR - Annual	GR - GRAB
					Permit Req.							Req Mon DAILY MX	19 - mg/L			01/YR - Annual	GR - GRAB
					Value NODI												
01034	Chromium, total [as Cr]	1 - Effluent Gross	0	--	Sample						=	2.2	28 - ug/L		0	01/YR - Annual	GR - GRAB
					Permit Req.							Req Mon DAILY MX	28 - ug/L			01/YR - Annual	GR - GRAB
					Value NODI												
01046	Iron, dissolved [as Fe]	1 - Effluent Gross	0	--	Sample						=	1120.0	28 - ug/L		0	01/YR - Annual	GR - GRAB
					Permit Req.							Req Mon DAILY MX	28 - ug/L			01/YR - Annual	GR - GRAB
					Value NODI												
34010	Toluene	1 - Effluent Gross	0	--	Sample						=	0.0	28 - ug/L		0	01/YR - Annual	GR - GRAB
					Permit Req.							Req Mon DAILY MX	28 - ug/L			01/YR - Annual	GR - GRAB
					Value NODI												
34010	Toluene	RW - Receiving Water	0	--	Sample						=	0.0	28 - ug/L		0	01/YR - Annual	GR - GRAB
					Permit Req.							Req Mon DAILY MX	28 - ug/L			01/YR - Annual	GR - GRAB
					Value NODI												
34030	Benzene	1 - Effluent Gross	0	--	Sample						=	0.45	28 - ug/L		0	01/YR - Annual	GR - GRAB
					Permit Req.							Req Mon DAILY MX	28 - ug/L			01/YR - Annual	GR - GRAB
					Value NODI												
34030	Benzene	RW - Receiving Water	0	--	Sample						=	0.0	28 - ug/L		0	01/YR - Annual	GR - GRAB
					Permit Req.							Req Mon DAILY MX	28 - ug/L			01/YR - Annual	GR - GRAB
					Value NODI												
34200	Acenaphthylene	1 - Effluent Gross	0	--	Sample						=	0.0	28 - ug/L		0	01/YR - Annual	GR - GRAB
					Permit Req.							Req Mon DAILY MX	28 - ug/L			01/YR - Annual	GR - GRAB
					Value NODI												
34200	Acenaphthylene	RW - Receiving Water	0	--	Sample						=	0.0	28 - ug/L		0	01/YR - Annual	GR - GRAB
					Permit Req.							Req Mon DAILY MX	28 - ug/L			01/YR - Annual	GR - GRAB
					Value NODI												
34205	Acenaphthene	1 - Effluent Gross	0	--	Sample						=	0.0	28 - ug/L		0	01/YR - Annual	GR - GRAB
					Permit Req.							Req Mon DAILY MX	28 - ug/L			01/YR - Annual	GR - GRAB
					Value NODI												
34205	Acenaphthene	RW - Receiving Water	0	--	Sample						=	0.0	28 - ug/L		0	01/YR - Annual	GR - GRAB
					Permit Req.							Req Mon DAILY MX	28 - ug/L			01/YR - Annual	GR - GRAB
					Value NODI												
34220	Anthracene	1 - Effluent Gross	0	--	Sample						=	0.0	28 - ug/L		0	01/YR - Annual	GR - GRAB
					Permit Req.							Req Mon DAILY MX	28 - ug/L			01/YR - Annual	GR - GRAB
					Value NODI												
34220	Anthracene	RW - Receiving Water	0	--	Sample						=	0.0	28 - ug/L		0	01/YR - Annual	GR - GRAB
					Permit Req.							Req Mon DAILY MX	28 - ug/L			01/YR - Annual	GR - GRAB
					Value NODI												

34230	Benzo[b]fluoranthene	1 - Effluent Gross	0	--	Sample	=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/YR - Annual	GR - GRAB
					Value NODI						
34230	Benzo[b]fluoranthene	RW - Receiving Water	0	--	Sample	=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/YR - Annual	GR - GRAB
					Value NODI						
34242	Benzo[k]fluoranthene	1 - Effluent Gross	0	--	Sample	=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/YR - Annual	GR - GRAB
					Value NODI						
34242	Benzo[k]fluoranthene	RW - Receiving Water	0	--	Sample	=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/YR - Annual	GR - GRAB
					Value NODI						
34247	Benzo[a]pyrene	1 - Effluent Gross	0	--	Sample	=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/YR - Annual	GR - GRAB
					Value NODI						
34247	Benzo[a]pyrene	RW - Receiving Water	0	--	Sample	=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/YR - Annual	GR - GRAB
					Value NODI						
34320	Chrysene	1 - Effluent Gross	0	--	Sample	=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/YR - Annual	GR - GRAB
					Value NODI						
34320	Chrysene	RW - Receiving Water	0	--	Sample	=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/YR - Annual	GR - GRAB
					Value NODI						
34371	Ethylbenzene	1 - Effluent Gross	0	--	Sample	=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/YR - Annual	GR - GRAB
					Value NODI						
34371	Ethylbenzene	RW - Receiving Water	0	--	Sample	=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/YR - Annual	GR - GRAB
					Value NODI						
34376	Fluoranthene	1 - Effluent Gross	0	--	Sample	=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/YR - Annual	GR - GRAB
					Value NODI						
34376	Fluoranthene	RW - Receiving Water	0	--	Sample	=	0.052	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/YR - Annual	GR - GRAB
					Value NODI						
34381	Fluorene	1 - Effluent Gross	0	--	Sample	=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/YR - Annual	GR - GRAB
					Value NODI						
34381	Fluorene	RW - Receiving Water	0	--	Sample	=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/YR - Annual	GR - GRAB
					Value NODI						
34403	Indeno[1,2,3-cd]pyrene	1 - Effluent Gross	0	--	Sample	=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/YR - Annual	GR - GRAB
					Value NODI						
34403	Indeno[1,2,3-cd]pyrene	RW - Receiving Water	0	--	Sample	=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/YR - Annual	GR - GRAB
					Value NODI						
34461	Phenanthrene	1 - Effluent Gross	0	--	Sample	=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/YR - Annual	GR - GRAB
					Value NODI						
34461	Phenanthrene	RW - Receiving Water	0	--	Sample	=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/YR - Annual	GR - GRAB
					Value NODI						
34469	Pyrene	1 - Effluent Gross	0	--	Sample	=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/YR - Annual	GR - GRAB
					Value NODI						
34469	Pyrene	RW - Receiving Water	0	--	Sample	=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/YR - Annual	GR - GRAB
					Value NODI						

34521	Benzo[ghi]perylene	1 - Effluent Gross	0	--	Sample	=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/YR - Annual	GR - GRAB
					Value NODI						
34521	Benzo[ghi]perylene	RW - Receiving Water	0	--	Sample	=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/YR - Annual	GR - GRAB
					Value NODI						
34526	Benzo[a]anthracene	1 - Effluent Gross	0	--	Sample	=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/YR - Annual	GR - GRAB
					Value NODI						
34526	Benzo[a]anthracene	RW - Receiving Water	0	--	Sample	=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/YR - Annual	GR - GRAB
					Value NODI						
34556	Dibenz[a,h]anthracene	1 - Effluent Gross	0	--	Sample	=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/YR - Annual	GR - GRAB
					Value NODI						
34556	Dibenz[a,h]anthracene	RW - Receiving Water	0	--	Sample	=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/YR - Annual	GR - GRAB
					Value NODI						
34694	Phenol	1 - Effluent Gross	0	--	Sample	=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/YR - Annual	GR - GRAB
					Value NODI						
34696	Naphthalene	1 - Effluent Gross	0	--	Sample	=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/YR - Annual	GR - GRAB
					Value NODI						
34696	Naphthalene	RW - Receiving Water	0	--	Sample	=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/YR - Annual	GR - GRAB
					Value NODI						
51008	tert-Butyl alcohol [TBA]	1 - Effluent Gross	0	--	Sample	=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/YR - Annual	GR - GRAB
					Value NODI						
74056	Coliform, total general	1 - Effluent Gross	0	--	Sample	=	68.0	3Z - CFU/100mL	0	01/YR - Annual	GR - GRAB
					Permit Req.		Req Mon DAILY MX	3Z - CFU/100mL		01/YR - Annual	GR - GRAB
					Value NODI						
81551	Xylene [mix of m+o+p]	1 - Effluent Gross	0	--	Sample	=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/YR - Annual	GR - GRAB
					Value NODI						
81551	Xylene [mix of m+o+p]	RW - Receiving Water	0	--	Sample	=	0.0	28 - ug/L	0	01/YR - Annual	GR - GRAB
					Permit Req.		Req Mon DAILY MX	28 - ug/L		01/YR - Annual	GR - GRAB
					Value NODI						

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Outfall 001 data consists of data collected at Outfall 002 as a commingled discharge from Outfall 002 and Outfall 003 did not occur at the time of sampling. The data is representative of the discharge at Outfall 001. Note that Whole Effluent Toxicity data is attached to this DMR as MA0003425-001-T_2020_04.

Attachments

Name	Type	Size
MA0003425-002_Lab(1)_2020_04.pdf	pdf	1240647.0
MA0003425-001-T_2020_04.pdf	pdf	5502968.0
Revere_fecal_coliform.pdf	pdf	571163.0

Report Last Saved By

GLOBAL COMPANIES LLC

User: bcrowley@rouxinc.com
Name: Bryan Crowley
E-Mail: bcrowley@rouxinc.com
Date/Time: 2020-05-12 12:16 (Time Zone: -04:00)

Report Last Signed By

User: SCHARRON@GLOBALP.COM
Name: Steven Charron
E-Mail: scharron@globalp.com
Date/Time: 2020-05-14 13:50 (Time Zone: -04:00)