

DMR Copy of Record

Permit			
Permit #:	MA0003298	Permittee:	GLOBAL COMPANIES, LLC
Major:	No	Permittee Address:	800 South Streete Suite 500 Waltham, MA 02454
Permitted Feature:	005 External Outfall	Discharge:	005-A TREATED STORMWATER & HYDROSTATIC TEST WATER OUTFALL 005
Facility:	GLOBAL REVCO TERMINAL, LLC		
Facility Location:	186 LEE BURBANK HIGHWAY REVERE, MA 02151		

Report Dates & Status			
Monitoring Period:	From 08/01/20 to 08/31/20	DMR Due Date:	09/15/20
Status:	NetDMR Validated		

Considerations for Form Completion

Principal Executive Officer			
First Name:	Tom	Title:	VP Env. H and S
Last Name:	Keefe	Telephone:	781-398-4132

No Data Indicator (NODI)
Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading				Quality or Concentration						# of Ex.	Frequency of Analysis	Sample Type		
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3	Units
00056	Flow rate	R - See Comments	0	--	Sample		=	350.0	78 - gal/min								0	WH/DS - When Discharging	ES - ESTIMA
					Permit Req.		<=	500.0 DAILY MX	78 - gal/min										
					Value NODI														
00400	pH	1 - Effluent Gross	0	--	Sample				=	8.05			=	8.43	12 - SU	0	03/30 - Three Per Month	GR - GRAB	
					Permit Req.				>=	6.5 MINIMUM			<=	8.5 MAXIMUM	12 - SU				
					Value NODI														
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample					=	5.33		=	7.0	19 - mg/L	0	03/30 - Three Per Month	GR - GRAB	
					Permit Req.					<=	30.0 MO AVG		<=	100.0 DAILY MX	19 - mg/L				
					Value NODI														
03582	Oil and grease	1 - Effluent Gross	0	--	Sample								=	0.0	28 - ug/L	0	03/30 - Three Per Month	GR - GRAB	
					Permit Req.								<=	5.0 DAILY MX	28 - ug/L				
					Value NODI														
34030	Benzene	1 - Effluent Gross	0	--	Sample								=	0.0	28 - ug/L	0	03/30 - Three Per Month	GR - GRAB	
					Permit Req.								<=	2.0 DAILY MX	28 - ug/L				
					Value NODI														
34247	Benzo[a]pyrene	1 - Effluent Gross	0	--	Sample								=	0.0	28 - ug/L	0	03/30 - Three Per Month	GR - GRAB	
					Permit Req.								<=	0.1 DAILY MX	28 - ug/L				
					Value NODI														
34696	Naphthalene	1 - Effluent Gross	0	--	Sample								=	0.0	28 - ug/L	0	03/30 - Three Per Month	GR - GRAB	
					Permit Req.								<=	5.0 DAILY MX	28 - ug/L				
					Value NODI														
82220	Flow, total	1 - Effluent Gross	0	--	Sample		=	1.887	80 - Mgal/mo							0	WH/DS - When Discharging	MT - METER	
					Permit Req.														
					Value NODI														
84165	Discharge event observation [Visual Monitoring]	1 - Effluent Gross	0	--	Sample								=	6.0	93 - occur/mo	0	WH/DS - When Discharging	OC - OCCURS	
					Permit Req.														
					Value NODI														

Submission Note
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors
No errors.

Comments

Attachments

Name	Type	Size
MA0003298-005_Lab(1)_2020_08.pdf	pdf	746814.0
MA0003298-005_Lab(3)_2020_08.pdf	pdf	1183415.0

Report Last Saved By

GLOBAL COMPANIES, LLC

User: bcrowley@rouxinc.com
Name: Bryan Crowley
E-Mail: bcrowley@rouxinc.com
Date/Time: 2020-09-10 14:26 (Time Zone: -04:00)

Report Last Signed By

User: SCHARRON@GLOBALP.COM
Name: Steven Charron
E-Mail: scharron@globalp.com
Date/Time: 2020-09-13 10:20 (Time Zone: -04:00)

DMR Copy of Record

Permit			
Permit #:	MA0000825	Permittee:	GLOBAL COMPANIES LLC
Major:	No	Permittee Address:	800 SOUTH STREET SUITE 500 WALTHAM, MA 02454
Permitted Feature:	001 External Outfall	Discharge:	001-A TREATED STORMWATERY & HYDROSTATIC TEST WATER FROM OUTFALL 001
Facility:	GLOBAL SOUTH TERMINAL		Facility Location:
		96 LEE BURBANK HIGHWAY REVERE, MA 02150	

Report Dates & Status			
Monitoring Period:	From 08/01/20 to 08/31/20	DMR Due Date:	09/15/20
Status:	NetDMR Validated		

Considerations for Form Completion

Principal Executive Officer			
First Name:	Tom	Title:	VP Env. H and S
Last Name:	Keefe	Telephone:	781-398-4132

No Data Indicator (NODI)
Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading				Quality or Concentration				# of Ex.	Frequency of Analysis	Sample Type				
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2				Value 2	Qualifier 3	Value 3	Units
00056	Flow rate	R - See Comments	0	--	Sample		=	310.0	78 - gal/min								0	WH/DS - When Discharging ES - ESTIMA	
					Permit Req.		<=	700.0 DAILY MX	78 - gal/min										WH/DS - When Discharging ES - ESTIMA
					Value NODI														
00400	pH	1 - Effluent Gross	0	--	Sample		=	6.85			=	6.85	12 - SU			0	01/30 - Monthly GR - GRAB		
					Permit Req.		>=	6.5 MINIMUM			<=	8.5 MAXIMUM	12 - SU					01/30 - Monthly GR - GRAB	
					Value NODI														
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample		=	5.55			=	8.5	19 - mg/L		0	02/30 - Twice Per Month GR - GRAB			
					Permit Req.		<=	30.0 MO AVG			<=	100.0 DAILY MX	19 - mg/L					02/30 - Twice Per Month GR - GRAB	
					Value NODI														
03582	Oil and grease	1 - Effluent Gross	0	--	Sample		=	0.0			=	0.0	19 - mg/L		0	01/30 - Monthly GR - GRAB			
					Permit Req.		<=	15.0 DAILY MX			<=	15.0 DAILY MX	19 - mg/L					01/30 - Monthly GR - GRAB	
					Value NODI														
34030	Benzene	1 - Effluent Gross	0	--	Sample		=	0.0			=	0.0	28 - ug/L		0	01/30 - Monthly GR - GRAB			
					Permit Req.		<=	51.0 MO AVG			<=	51.0 MO AVG	Req Mon DAILY MX 28 - ug/L					01/30 - Monthly GR - GRAB	
					Value NODI														
34247	Benzo[a]pyrene	1 - Effluent Gross	0	--	Sample		=	0.0			=	0.0	28 - ug/L		0	01/30 - Monthly GR - GRAB			
					Permit Req.		<=	0.1 MO AVG			<=	0.1 MO AVG	Req Mon DAILY MX 28 - ug/L					01/30 - Monthly GR - GRAB	
					Value NODI														
34696	Naphthalene	1 - Effluent Gross	0	--	Sample		=	0.0			=	0.0	28 - ug/L		0	01/30 - Monthly GR - GRAB			
					Permit Req.		<=	100.0 MO AVG			<=	100.0 MO AVG	Req Mon DAILY MX 28 - ug/L					01/30 - Monthly GR - GRAB	
					Value NODI														
82220	Flow, total	1 - Effluent Gross	0	--	Sample		=	0.0212	80 - Mgal/mo						0	WH/DS - When Discharging MT - METER			
					Permit Req.			Req Mon DAILY MX 80 - Mgal/mo										WH/DS - When Discharging MT - METER	
					Value NODI														
84165	Discharge event observation [Visual Monitoring]	1 - Effluent Gross	0	--	Sample		=				=	2.0	93 - occur/mo		0	WH/DS - When Discharging OC - OCCURS			
					Permit Req.						<=	2.0	93 - occur/mo					WH/DS - When Discharging OC - OCCURS	
					Value NODI														

Submission Note
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors
No errors.

Comments

Attachments

Name	Type	Size
MA0000825_Lab(1)_2020_08.pdf	pdf	695804.0
MA0000825_Lab(2)_2020_08.pdf	pdf	499666.0

Report Last Saved By

GLOBAL COMPANIES LLC

User: bcrowley@rouxinc.com
Name: Bryan Crowley
E-Mail: bcrowley@rouxinc.com
Date/Time: 2020-09-10 14:17 (Time Zone: -04:00)

Report Last Signed By

User: SCHARRON@GLOBALP.COM
Name: Steven Charron
E-Mail: scharron@globalp.com
Date/Time: 2020-09-13 10:20 (Time Zone: -04:00)

DMR Copy of Record

Permit			
Permit #:	MA0003425	Permittee:	GLOBAL COMPANIES LLC
Major:	No	Permittee Address:	800 SOUTH STREET SUITE 500 WALTHAM, MA 02454
Permitted Feature:	003 External Outfall	Discharge:	003-A TREATED H2O THROUGH INTERNAL WASTE STREAM VIA OUTFALL 001
Facility:	GLOBAL PETROLEUM CORP - REVERE		
Facility Location:	140 LEE BURBANK HIGHWAY REVERE, MA 02151		

Report Dates & Status			
Monitoring Period:	From 08/01/20 to 08/31/20	DMR Due Date:	09/15/20
Status:	NetDMR Validated		

Considerations for Form Completion

Principal Executive Officer			
First Name:	Tom	Title:	VP Env. H and S
Last Name:	Keefe	Telephone:	781-398-4132

No Data Indicator (NODI)
Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading				Quality or Concentration				# of Ex.	Frequency of Analysis	Sample Type		
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2				Value 2	Qualifier 3
00056	Flow rate	1 - Effluent Gross	0	--	Sample	=	30.0		78 - gal/min						0	WH/DS - When Discharging	ES - ESTIMA
					Permit Req.	<=	50.0 DAILY MX		78 - gal/min								
					Value NODI												
00400	pH	1 - Effluent Gross	0	--	Sample				=	7.52		=	7.52	12 - SU	0	01/30 - Monthly	GR - GRAB
					Permit Req.				>=	6.5 MINIMUM		<=	8.5 MAXIMUM	12 - SU			
					Value NODI												
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample				=	0.7		=	0.7	19 - mg/L	0	01/30 - Monthly	GR - GRAB
					Permit Req.				<=	30.0 MO AVG		<=	100.0 DAILY MX	19 - mg/L			
					Value NODI												
22417	Methyl tert-butyl ether [MTBE]	1 - Effluent Gross	0	--	Sample							=	0.0	28 - ug/L	0	01/30 - Monthly	GR - GRAB
					Permit Req.							<=	20.0 DAILY MX	28 - ug/L			
					Value NODI												
22456	Polynuclear Aromatic Hydrocarbons [PAHs]	1 - Effluent Gross	0	--	Sample							=	0.0	28 - ug/L	0	01/30 - Monthly	GR - GRAB
					Permit Req.							<=	0.1 DAILY MX	28 - ug/L			
					Value NODI												
22456	Polynuclear Aromatic Hydrocarbons [PAHs]	EG - Effluent Gross	0	--	Sample							=	0.0	28 - ug/L	0	01/30 - Monthly	GR - GRAB
					Permit Req.							<=	10.0 DAILY MX	28 - ug/L			
					Value NODI												
22456	Polynuclear Aromatic Hydrocarbons [PAHs]	Y - Effluent Gross (Supplementary)	0	--	Sample							=	0.0	28 - ug/L	0	01/30 - Monthly	GR - GRAB
					Permit Req.							<=	100.0 DAILY MX	28 - ug/L			
					Value NODI												
34030	Benzene	1 - Effluent Gross	0	--	Sample							=	0.0	28 - ug/L	0	01/30 - Monthly	GR - GRAB
					Permit Req.							<=	5.0 DAILY MX	28 - ug/L			
					Value NODI												
34696	Naphthalene	1 - Effluent Gross	0	--	Sample							=	0.0	28 - ug/L	0	01/30 - Monthly	GR - GRAB
					Permit Req.							<=	20.0 DAILY MX	28 - ug/L			
					Value NODI												
49491	BTEX	1 - Effluent Gross	0	--	Sample							=	0.0	28 - ug/L	0	01/30 - Monthly	GR - GRAB
					Permit Req.							<=	100.0 DAILY MX	28 - ug/L			
					Value NODI												
82181	Hydrocarbons, total petroleum	1 - Effluent Gross	0	--	Sample							=	0.0	19 - mg/L	0	01/30 - Monthly	GR - GRAB
					Permit Req.							<=	5.0 DAILY MX	19 - mg/L			
					Value NODI												
82220	Flow, total	1 - Effluent Gross	0	--	Sample		=	0.014165	80 - Mgal/mo						0	WH/DS - When Discharging	MT - METER
					Permit Req.			Req Mon DAILY MX	80 - Mgal/mo								
					Value NODI												

Submission Note
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

Name	Type	Size
MA0003425-003_Lab_2020_08.pdf	pdf	1034647.0

Report Last Saved By

GLOBAL COMPANIES LLC

User: bcrowley@rouxinc.com
Name: Bryan Crowley
E-Mail: bcrowley@rouxinc.com
Date/Time: 2020-09-10 14:30 (Time Zone: -04:00)

Report Last Signed By

User: SCHARRON@GLOBALP.COM
Name: Steven Charron
E-Mail: scharron@globalp.com
Date/Time: 2020-09-13 10:20 (Time Zone: -04:00)

DMR Copy of Record

Permit			
Permit #: MA0003425	Permittee: GLOBAL COMPANIES LLC	Facility: GLOBAL PETROLEUM CORP - REVERE	
Major: No	Permittee Address: 800 SOUTH STREET SUITE 500 WALTHAM, MA 02454	Facility Location: 140 LEE BURBANK HIGHWAY REVERE, MA 02151	
Permitted Feature: 002 External Outfall	Discharge: 002-A TREATED H2O THROUGH INTERNAL WASTE STREAM VIA OUTFALL 001		

Report Dates & Status			
Monitoring Period: From 08/01/20 to 08/31/20	DMR Due Date: 09/15/20	Status: NetDMR Validated	

Considerations for Form Completion

Principal Executive Officer			
First Name: Tom	Title: VP Env. H and S	Telephone: 781-398-4132	
Last Name: Keefe			

No Data Indicator (NODI)
Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading				Quality or Concentration				# of Ex.	Frequency of Analysis	Sample Type		
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2				Value 2	Qualifier 3
00056	Flow rate	1 - Effluent Gross	0	--	Sample	=	160.0		78 - gal/min						0	WH/DS - When Discharging	ES - ESTIMA
					Permit Req.	<=	830.0 DAILY MX		78 - gal/min								
					Value NODI												
00400	pH	1 - Effluent Gross	0	--	Sample	=			7.33		=	7.33	12 - SU	0	01/30 - Monthly	GR - GRAB	
					Permit Req.	>=			6.5 MINIMUM		<=	8.5 MAXIMUM	12 - SU				
					Value NODI												
00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample	=			15.5		=	15.5	19 - mg/L	0	01/30 - Monthly	GR - GRAB	
					Permit Req.	<=			30.0 MO AVG		<=	100.0 DAILY MX	19 - mg/L				
					Value NODI												
22417	Methyl tert-butyl ether [MTBE]	1 - Effluent Gross	0	--	Sample						=	0.0	28 - ug/L	0	01/30 - Monthly	GR - GRAB	
					Permit Req.						<=	70.0 DAILY MX	28 - ug/L				
					Value NODI												
34030	Benzene	1 - Effluent Gross	0	--	Sample						=	0.0	28 - ug/L	0	01/30 - Monthly	GR - GRAB	
					Permit Req.						<=	5.0 DAILY MX	28 - ug/L				
					Value NODI												
34696	Naphthalene	1 - Effluent Gross	0	--	Sample						=	0.0	28 - ug/L	0	01/30 - Monthly	GR - GRAB	
					Permit Req.						<=	20.0 DAILY MX	28 - ug/L				
					Value NODI												
49491	BTEX	1 - Effluent Gross	0	--	Sample						=	0.0	28 - ug/L	0	01/30 - Monthly	GR - GRAB	
					Permit Req.						<=	100.0 DAILY MX	28 - ug/L				
					Value NODI												
77004	Ethanol	1 - Effluent Gross	0	--	Sample						=	0.0	19 - mg/L	0	01/30 - Monthly	GR - GRAB	
					Permit Req.							Req Mon DAILY MX	19 - mg/L				
					Value NODI												
82181	Hydrocarbons, total petroleum	1 - Effluent Gross	0	--	Sample						=	0.0	19 - mg/L	0	01/30 - Monthly	GR - GRAB	
					Permit Req.						<=	5.0 DAILY MX	19 - mg/L				
					Value NODI												
82220	Flow, total	1 - Effluent Gross	0	--	Sample	=	2.450399		80 - Mgal/mo					0	WH/DS - When Discharging	MT - METER	
					Permit Req.				Req Mon DAILY MX								
					Value NODI												

Submission Note
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors
No errors.

Comments
Hydrotesting of Tank 5 began on 8/14/2020 and was completed on 8/26/2020. Discharge data for Tank 5 hydrotest water will be provided in a separate submittal, in accordance with NPDES Permit MA0003425.

Name	Type	Size
------	------	------

Report Last Saved By

GLOBAL COMPANIES LLC

User: thenderson@rouxinc.com
Name: Thomas Henderson
E-Mail: thenderson@rouxinc.com
Date/Time: 2020-09-14 11:16 (Time Zone: -04:00)

Report Last Signed By

User: SCHARRON@GLOBALP.COM
Name: Steven Charron
E-Mail: scharron@globalp.com
Date/Time: 2020-09-14 11:47 (Time Zone: -04:00)

DMR Copy of Record

Permit			
Permit #:	MA0003425	Permittee:	GLOBAL COMPANIES LLC
Major:	No	Permittee Address:	800 SOUTH STREET SUITE 500 WALTHAM, MA 02454
Permitted Feature:	001 External Outfall	Discharge:	001-A MONTHLY MONITORING FROM INTERNAL OUTFALLS 002 & 003
Facility:	GLOBAL PETROLEUM CORP - REVERE		
Facility Location:	140 LEE BURBANK HIGHWAY REVERE, MA 02151		

Report Dates & Status			
Monitoring Period:	From 08/01/20 to 08/31/20	DMR Due Date:	09/15/20
Status:	NetDMR Validated		

Considerations for Form Completion

Principal Executive Officer			
First Name:	Tom	Title:	VP Env. H and S
Last Name:	Keefe	Telephone:	781-398-4132

No Data Indicator (NODI)
Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading					Quality or Concentration					# of Ex.	Frequency of Analysis	Sample Type		
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3				Value 3	Units
00056	Flow rate	1 - Effluent Gross	0	--	Sample		=	190.0	78 - gal/min								0	WH/DS - When Discharging WH/DS - When Discharging	ES - ESTIMA ES - ESTIMA
					Permit Req.		<=	880.0 DAILY MX	78 - gal/min										
					Value NODI														
00400	pH	1 - Effluent Gross	0	--	Sample		=	7.33				=	7.33	12 - SU		0	01/30 - Monthly 01/30 - Monthly	GR - GRAB GR - GRAB	
					Permit Req.		>=	6.5 MINIMUM			<=	8.5 MAXIMUM	12 - SU						
					Value NODI														
00556	Oil & Grease	1 - Effluent Gross	0	--	Sample		=	0.0	19 - mg/L			=	0.0	19 - mg/L		0	01/30 - Monthly 01/30 - Monthly	GR - GRAB GR - GRAB	
					Permit Req.		<=	15.0 DAILY MX	19 - mg/L										
					Value NODI														
34030	Benzene	1 - Effluent Gross	0	--	Sample		=	0.0	28 - ug/L			=	0.0	28 - ug/L		0	01/30 - Monthly 01/30 - Monthly	GR - GRAB GR - GRAB	
					Permit Req.		<=	51.0 MO AVG	Req Mon DAILY MX										
					Value NODI														
34247	Benzo[a]pyrene	1 - Effluent Gross	0	--	Sample		=	0.0	28 - ug/L			=	0.0	28 - ug/L		0	01/30 - Monthly 01/30 - Monthly	GR - GRAB GR - GRAB	
					Permit Req.		<=	0.1 MO AVG	Req Mon DAILY MX										
					Value NODI														
34696	Naphthalene	1 - Effluent Gross	0	--	Sample		=	0.0	28 - ug/L			=	0.0	28 - ug/L		0	01/30 - Monthly 01/30 - Monthly	GR - GRAB GR - GRAB	
					Permit Req.		<=	100.0 MO AVG	Req Mon DAILY MX										
					Value NODI														
82220	Flow, total	1 - Effluent Gross	0	--	Sample		=	2.5	80 - Mgal/mo							0	WH/DS - When Discharging WH/DS - When Discharging	MT - METER MT - METER	
					Permit Req.			Req Mon DAILY MX	80 - Mgal/mo										
					Value NODI														
84165	Discharge event observation [Visual Monitoring]	1 - Effluent Gross	0	--	Sample		=	3.0	93 - occur/mo							0	WH/DS - When Discharging WH/DS - When Discharging	OC - OCCURS OC - OCCURS	
					Permit Req.			Req Mon MO TOTAL	93 - occur/mo										
					Value NODI														

Submission Note
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors
No errors.

Comments
Outfall 001 data consists of data collected at Outfall 002 as a commingled discharge from Outfall 002 and Outfall 003 did not occur at the time of sampling. The data is representative of the discharge at Outfall 001. Hydrotesting of Tank 5 commenced on 8/14/2020 and was completed on 8/26/2020. Discharge data for the Tank 5 hydrotest water will be provided in a separate submittal, in accordance with NPDES Permit MA0003425.

Attachments

Name	Type	Size
MA0003425-002_Lab(1)_2020_08.pdf	pdf	1454388.0

Report Last Saved By
GLOBAL COMPANIES LLC

User: thenderson@rouxinc.com

Name: Thomas Henderson
E-Mail: thenderson@rouxinc.com
Date/Time: 2020-09-14 11:15 (Time Zone: -04:00)

Report Last Signed By

User: SCHARRON@GLOBALP.COM
Name: Steven Charron
E-Mail: scharron@globalp.com
Date/Time: 2020-09-14 11:47 (Time Zone: -04:00)

DMR Copy of Record

Permit			
Permit #:	MA0003298	Permittee:	GLOBAL COMPANIES, LLC
Major:	No	Permittee Address:	800 South Streete Suite 500 Waltham, MA 02454
Permitted Feature:	001 External Outfall	Discharge:	001-A TREATED & UNTREATED STORMWATER OUTFALL 001
Facility:		Facility Location:	GLOBAL REVCO TERMINAL, LLC 186 LEE BURBANK HIGHWAY REVERE, MA 02151

Report Dates & Status			
Monitoring Period:	From 08/01/20 to 08/31/20	DMR Due Date:	09/15/20
Status:	NetDMR Validated		

Considerations for Form Completion
U

Principal Executive Officer			
First Name:	Tom	Title:	VP Env. H and S
Last Name:	Keefe	Telephone:	781-398-4132

No Data Indicator (NODI)
Form NODI: --

Code	Parameter Name	Monitoring Location	Season #	Param. NODI	Quantity or Loading				Quality or Concentration				# of Ex.	Frequency of Analysis	Sample Type				
					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2				Value 2	Qualifier 3	Value 3	Units
00056	Flow rate	R - See Comments	0	--	Sample		=	35.0	78 - gal/min								0	WH/DS - When Discharging WH/DS - When Discharging	ES - ESTIMA ES - ESTIMA
					Permit Req.		<=	75.0 DAILY MX	78 - gal/min										
					Value NODI														
00400	pH	1 - Effluent Gross	0	--	Sample		=	6.84			=	6.84	12 - SU			0	01/30 - Monthly 01/30 - Monthly	GR - GRAB GR - GRAB	
					Permit Req.		>=	6.5 MINIMUM			<=	8.5 MAXIMUM	12 - SU						
					Value NODI														
X 00530	Solids, total suspended	1 - Effluent Gross	0	--	Sample		=	36.0			=	36.0	19 - mg/L		1	01/30 - Monthly 02/30 - Twice Per Month	GR - GRAB GR - GRAB		
					Permit Req.		<=	30.0 MO AVG			<=	100.0 DAILY MX	19 - mg/L						
					Value NODI														
03582	Oil and grease	1 - Effluent Gross	0	--	Sample		=	0.0			=	0.0	19 - mg/L		0	01/30 - Monthly 01/30 - Monthly	GR - GRAB GR - GRAB		
					Permit Req.		<=	15.0 DAILY MX				19 - mg/L							
					Value NODI														
34030	Benzene	1 - Effluent Gross	0	--	Sample		=	0.0			=	0.0	28 - ug/L		0	01/30 - Monthly 01/30 - Monthly	GR - GRAB GR - GRAB		
					Permit Req.		<=	51.0 MO AVG				Req Mon DAILY MX	28 - ug/L						
					Value NODI														
34247	Benzo[a]pyrene	1 - Effluent Gross	0	--	Sample		=	0.0			=	0.0	28 - ug/L		0	01/30 - Monthly 01/30 - Monthly	GR - GRAB GR - GRAB		
					Permit Req.		<=	0.1 MO AVG				Req Mon DAILY MX	28 - ug/L						
					Value NODI														
34696	Naphthalene	1 - Effluent Gross	0	--	Sample		=	0.0			=	0.0	28 - ug/L		0	01/30 - Monthly 01/30 - Monthly	GR - GRAB GR - GRAB		
					Permit Req.		<=	100.0 MO AVG				Req Mon DAILY MX	28 - ug/L						
					Value NODI														
82220	Flow, total	1 - Effluent Gross	0	--	Sample		=	0.00467	80 - Mgal/mo						0	WH/DS - When Discharging WH/DS - When Discharging	MT - METER MT - METER		
					Permit Req.			Req Mon DAILY MX	80 - Mgal/mo										
					Value NODI														
84165	Discharge event observation [Visual Monitoring]	1 - Effluent Gross	0	--	Sample		=	2.0	93 - occur/mo					0	WH/DS - When Discharging WH/DS - When Discharging	OC - OCCURS OC - OCCURS			
					Permit Req.			Req Mon DAILY MX	93 - occur/mo										
					Value NODI														

Submission Note
If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors						
Code	Parameter Name	Monitoring Location	Field	Type	Description	Acknowledge
00530	Solids, total suspended	1 - Effluent Gross	Quality or Concentration Sample Value 2	Soft	The provided sample value is outside the permit limit. Please verify that the value you have provided is correct. (Error Code: 1)	Yes

Comments

Attachments		
Name	Type	Size

MA0003298-001_Lab(1)_2020_08.pdf	pdf	781443.0
MA0003298-001_Exceedance_2020_08.pdf	pdf	168029.0

Report Last Saved By

GLOBAL COMPANIES, LLC

User: bcrowley@rouxinc.com
Name: Bryan Crowley
E-Mail: bcrowley@rouxinc.com
Date/Time: 2020-09-11 13:41 (Time Zone: -04:00)

Report Last Signed By

User: SCHARRON@GLOBALP.COM
Name: Steven Charron
E-Mail: scharron@globalp.com
Date/Time: 2020-09-13 10:20 (Time Zone: -04:00)